HL 8311 NANO

3U T2.2
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 500 Lm
- 2700 K / 6400 K

E27

HL 8315 MINI

3U T2.8
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 750 Lm / 730 Lm
- 2700 K / 6400 K

E27

HOROZ ELECTIC

Energy Saving Lamps

GOLD SERIES

RoHS

HL 8315

3U T3.8
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 740 Lm
- 2700 K / 6400 K

E27

HL 8320

3U T3.6
20W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 990 Lm
- 2700 K / 6400 K

E27

HL 8325

3U T3.6
25W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1250 Lm / 1230 Lm
- 2700 K / 6400 K

E27

HL 8411 MINI

4U T2.8
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 530 Lm / 500 Lm
- 2700 K / 6400 K

E27

HL 8415 NANO

4U T2.2
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 690 Lm
- 2700 K / 6400 K

E27

HL 8420 MINI

4U T3
20W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1000 Lm / 980 Lm
- 2700 K / 6400 K

E27

HL 8434

4U T3.6
34W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1700 Lm / 1680 Lm
- 2700 K / 6400 K

E27

HL 8609 NANO

HALF SPIRAL T2.2
9W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 430 Lm
- 2700 K / 6400 K

E27

HL 8611 NANO

HALF SPIRAL T2.2
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 530 Lm
- 2700 K / 6400 K

E27

HL 8615 NANO

HALF SPIRAL T2.2
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 730 Lm
- 2700 K / 6400 K

E27

HL 8620 NANO

HALF SPIRAL T2.2
20W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 980 Lm
- 2700 K / 6400 K

E27

HL 8623 NANO

HALF SPIRAL T2.2
23W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1135 Lm
- 2700 K / 6400 K

E27

HL 8615 MINI

HALF SPIRAL T2.8
15W E27
BLUE, RED,
GREEN, YELLOW

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 76 Lm (Red)
- 80 Lm (Blue)
- 360 Lm (Green)
- 380 Lm (Yellow)

E27

HL 8609 MICRO E14

HALF SPIRAL T2.6
9W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 435 Lm / 425 Lm / 425 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8609 MICRO E27

HALF SPIRAL T2.6
9W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 435 Lm / 425 Lm / 425 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8611 MINI E14

HALF SPIRAL T3
11W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 580 Lm / 570 Lm / 560 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8611 MINI E27

HALF SPIRAL T3
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 580 Lm / 570 Lm / 560 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8615 MINI E14

HALF SPIRAL T3
15W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 770 Lm / 760 Lm / 750 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8615 MINI E27

HALF SPIRAL T3
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 770 Lm / 760 Lm / 750 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8620

HALF SPIRAL T3.5
20W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1040 Lm / 1030 Lm / 1020 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8625

HALF SPIRAL T3.8
25W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1290 Lm / 1280 Lm / 1270 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8809 NANO E14

FULL SPIRAL T2.2
9W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 400 Lm
- 2700 K / 6400 K

E14

HL 8809 NANO E27

FULL SPIRAL T2.2
9W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 400 Lm
- 2700 K / 6400 K

E27

HL 8809 NANO G9

FULL SPIRAL T2.2
9W G9

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 400 Lm
- 2700 K / 6400 K

G9

HL 8809 NANO GU10

FULL SPIRAL T2.2
9W GU10

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 400 Lm
- 2700 K / 6400 K

GU10

HL 8809 MICRO E14

FULL SPIRAL T2.5
9W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 420 Lm / 400 Lm
- 2700 K / 6400 K

E14

HL 8809 MICRO E27

FULL SPIRAL T2.5
9W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 420 Lm / 400 Lm
- 2700 K / 6400 K

E27

HL 8811 MICRO E14

FULL SPIRAL T2.5
11W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 500 Lm / 490 Lm / 480 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8811 MICRO E27

FULL SPIRAL T2.5
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 500 Lm / 490 Lm / 480 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8811 MINI E14

FULL SPIRAL T2.8
11W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 550 Lm / 540 Lm / 530 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8811 MINI E27

FULL SPIRAL T2.8
11W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 550 Lm / 540 Lm / 530 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8815 MINI E14

FULL SPIRAL T2.8
15W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 740 Lm / 730 Lm / 720 Lm
- 2700 K / 4200 K / 6400 K

E14

HL 8815 MINI E27

FULL SPIRAL T2.8
15W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 740 Lm / 730 Lm / 720 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8820

FULL SPIRAL T3.6
20W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1040 Lm / 1030 Lm / 1020 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8825

FULL SPIRAL T3.8
25W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 1270 Lm / 1260 Lm / 1250 Lm
- 2700 K / 4200 K / 6400 K

E27

HL 8845

FULL SPIRAL T4.4
45W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 2280 Lm
- 2700 K / 6400 K

E27

HL 8865

FULL SPIRAL T5.2
65W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 2620 Lm
- 2700 K / 6400 K

E27

HL 8885 E27

FULL SPIRAL T5.5
85W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 4150 Lm
- 2700 K / 6400 K

E27

HL 88105 E27

FULL SPIRAL T5.6
105W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 5150 Lm
- 2700 K / 6400 K

E27

HL 8885 E40

FULL SPIRAL T5.6
85W E40

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 2700 K / 6400 K

E40

HL 88105 E40

FULL SPIRAL T5.6
105W E40

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 2700 K / 6400 K

E40

HL 8105 E14

CANDLE
5W E14

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 115 Lm
- 2700 K / 6400 K

E14

HL 8105 E27

CANDLE
5W E27

- 220-240V / 50-60Hz
- Average Life: 8000 Hrs
- 115 Lm
- 2700 K / 6400 K

E27

HL 8711R G5.3

11W G5.3

- 220-240V / 50-60Hz
- Average Life:
  10.000-15.000 Hrs
- 230 Lm
- 6400 K

G5.3

HL 8711R GU10

11W GU10

- 220-240V / 50-60Hz
- Average Life:
  10.000-15.000 Hrs
- 230 Lm
- 6400 K

GU10

HL 8711D GU10

11W GU10

- 220-240V / 50-60Hz
- Average Life:
  10.000-15.000 Hrs
- 280 Lm
- 6400 K

GU10

HL 8711D G5.3

11W G5.3

- 220-240V / 50-60Hz
- Average Life:
  10.000-15.000 Hrs
- 280 Lm
- 6400 K

G5.3

HL 8109

R50
9W E14

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 215 Lm
- 2700 K / 6400 K

E14

HL 8111

R63
11W E27

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 202 Lm
- 2700 K / 6400 K

E27

HL 8113

R80
13W E27

- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs
- 260 Lm
- 2700 K / 6400 K

E27

HL 8740

40W

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 2400 Lm
- 6400 K

R7S

HL 8720

20W

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 1200 Lm
- 6400 K

R7S

PL

7W
9W
11W

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 2700 K / 6400 K

PL
G23



PLC

10W
13W
18W
26W

- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs
- 2700 K / 6400 K

PLC
G24d-1



T5 DAYLIGHT

6W
8W
13W
21W
28W

T5
G5

T5 BLB

6W
8W

T5
G5

Fluorescent Tubes

T8 BLB

18W
36W

T8
G13

T8 DAYLIGHT

10W
15W
18W
30W
36W
58W

T8
G13



T8 COLOR

18W
36W

RED
GREEN
BLUE

T8
G13

T5 CIRCLE

32W
DAYLIGHT

G10q

ADAPTER & T5 CIRCLE

32W
DAYLIGHT

E27

T9 CIRCLE

32W
DAYLIGHT

G10q



MR11 OPEN

20W OPEN
35W OPEN

- 220-240V / 50-60Hz

GU4



MR11 OPEN

20W OPEN
35W OPEN

- 12V

GU4

Halogen Lamps

MR11 CLOSED

20W CLOSED
35W CLOSED

- 12V

GU4

MR16 OPEN

20W OPEN
35W OPEN
50W OPEN

- 12V

GU5.3

MR16 CLOSED

20W CLOSED
35W CLOSED
50W CLOSED

- 12V

GU5.3

MR16 COLOR

50W CLOSED, RED
50W CLOSED, BLUE
50W CLOSED, GREEN
50W CLOSED, YELLOW

- 12V

GU5.3

JCDR OPEN

35W OPEN
50W OPEN
75W OPEN

- 220-240V / 50-60Hz

GU5.3

JCDR CLOSED

35W CLOSED
50W CLOSED
75W CLOSED

- 220-240V / 50-60Hz

GU5.3

GU10

35W
50W

- 220-240V / 50-60Hz

GU10

JCD G6.35

35W
50W
75W

- 220-240V / 50-60Hz

G6.35

JC G6.35

50W

- 12V

G6.35

JC G4

10W
20W
35W

- 12V

G4

G9 FROST

25W
40W

- 220-240V / 50-60Hz

G9

JC G4 WHITE

20W

- 12V

G4

G9 CLEAR

25W
40W

- 220-240V / 50-60Hz

G9

G9 WHITE

25W
40W

- 220-240V / 50-60Hz

G9

HALOGEN LAMPS

- 220-240V / 50-60Hz

R7S

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

JCDR POWER LED

1x3W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

GU5.3 | POWERLED 1 pcs

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

GU10 POWER LED

1x3W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

GU10 | POWERLED 1 pcs

HOROZ ELECTIC

LED Lamps
LED Tubes

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

JDR POWER LED

1x3W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

E27 | POWERLED 1 pcs

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

JDR POWER LED

3x1W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

E27 | POWERLED 3 pcs

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

JCDR POWER LED

3x1W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

GU5.3 | POWERLED 3 pcs

WHITE 6400K
COOL WHITE 4200K
RED
GREEN
BLUE
YELLOW

GU10 POWER LED

3x1W

- 220-240V / 50-60Hz
- Average Life: 60.000 - 80.000 Hrs

GU10 | POWERLED 3 pcs

COB LED

GU10 COB LED

CLOSED
3W
5W

- 220-240V / 50-60Hz
- Average Life: 40.000 - 50.000 Hrs
- 6400K

GU10 | COB LED

WHITE 6400K
COOL WHITE 4200K

JCDR POWER LED

5x1W

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

GU5.3 | POWERLED 5 pcs

WHITE 6400K
COOL WHITE 4200K

GU10 POWER LED

5x1W

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs

GU10 | POWERLED 5 pcs

SMD LED

HL 436L

2,5W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 200 Lm
- 4000 K

E14 SMD LED

SMD LED

HL 437L

2,5W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 200 Lm
- 4000 K

E14 SMD LED

SMD LED

HL 438L E14

2,5W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 200 Lm
- 4000 K

E14 SMD LED

SMD LED

HL 438L E27

2,5W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 200 Lm
- 4000 K

E27 SMD LED

SMD LED

HL 439L

4,8W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 400 Lm
- 4000 K

E27 SMD LED

SMD LED

HL 443L

2,5W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 200 Lm
- 4000 K

E14 SMD LED

SMD LED

HL 444L

4,8W

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 400 Lm
- 4000 K

E27 SMD LED

COB LED

HL 445L

3W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 40.000 - 50.000 Hrs
- 300 Lm
- 2700K

E14 COB LED

COB LED

HL 446L

3W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 40.000 - 50.000 Hrs
- 300 Lm
- 6400K

E14 COB LED

COB LED

HL 447L

4W

- 220-240V / 50-60Hz
- Average Life: 40.000 - 50.000 Hrs
- 400 Lm
- 2700K / 6400K

E27 COB LED

WHITE
RED
GREEN
BLUE
YELLOW



JCDR LED

1.2W

- 220-240V / 50-60Hz
- Average Life: 60.0000 - 80.000 Hrs

GU5.3 | LED 18 pcs

WHITE
RED
GREEN
BLUE
YELLOW



GU10 LED

1.2W

- 220-240V / 50-60Hz
- Average Life: 60.0000 - 80.000 Hrs

GU10 | LED 18 pcs

WHITE
RED
GREEN
BLUE
YELLOW

JDR LED

1.2W

- 220-240V / 50-60Hz
- Average Life: 60.0000 - 80.000 Hrs

E27 | LED 18 pcs

SMD LED

SMD LED TUBE 60cm

10W
DAYLIGHT

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400 K

T8 G13 | SMD LED 144 pcs

SMD LED

SMD LED TUBE 120cm

19W
DAYLIGHT

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6400 K

T8 G13 | SMD LED 288 pcs

WHITE
RED
GREEN
BLUE
YELLOW

HL 440L

6W

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 Lm

R7S | LED 92 pcs

COB LED

NEW

HL 448L

1W

- AC/DC 12V
- Average Life: 30.000 Hrs
- 2700K / 6400K

G4 | COB LED

COB LED

NEW

HL 449L

2.5W

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 2700K / 6400K

G9 | COB LED

HL 415

MINI BULB
10W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E12

HL 416

MINI BULB
10W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

Incandescent Bulbs

HL 417

INDICATOR LAMP
15W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 420

CANDLE BULB
WITH TAIL
40W, 60W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 421

CANDLE BULB
WITH TAIL
40W, 60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 423

CANDLE BULB
40W
60W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 424

CANDLE BULB
40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 425

CANDLE BULB
40W
60W
SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 426

SCREW CANDLE BULB
40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 427

SCREW CANDLE BULB
40W
60W
CLEAR

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 428

CANDLE BULB
40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 429

CANDLE BULB
40W
60W
SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 430

GLOBE BULB
40W
60W
SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 431

GLOBE BULB
40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

HL 432

GLOBE BULB
40W
60W
SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 433

GLOBE BULB
40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 434

MUSHROOM BULB
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 435

MUSHROOM BULB
60W
SOFT

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

R39

30W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

R50

40W
60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E14

Reflector Bulbs

R63

60W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

R80

60W
75W
100W
FROSTED

- 220-240V / 50-60Hz
- Average Life: 1.000 Hrs

E27

HL 400

HIGH PRESSURE
MERCURY LAMP
125W
WITH BALLAST

- 220-240V / 50-60Hz

E27

HL 401

HIGH PRESSURE
MERCURY LAMP
125W

- 220-240V / 50-60Hz

E27

Mercury Lamps

HL 402

HIGH PRESSURE
MERCURY LAMP
160W

- 220-240V / 50-60Hz

E27

HL 403

HIGH PRESSURE
MERCURY LAMP
250W
WITH BALLAST

- 220-240V / 50-60Hz

E40

HL 404

HIGH PRESSURE
MERCURY LAMP
250W

- 220-240V / 50-60Hz

E40

HL 405

HIGH PRESSURE
MERCURY LAMP
400W
WITH BALLAST

- 220-240V / 50-60Hz

E40

HL 406

METAL HALIDE LAMP
150W

- 220-240V / 50-60Hz

Rx7S

HL 407

METAL HALIDE LAMP
150W

- 220-240V / 50-60Hz

E27

Metal Halide Lamps

HL 408

METAL HALIDE LAMP
250W

- 220-240V / 50-60Hz

E40

HL 409

METAL HALIDE LAMP
250W
WHITE
BLUE
GREEN
RED

- 220-240V / 50-60Hz

E40

HL 410

METAL HALIDE LAMP
70W

- 220-240V / 50-60Hz

G12

HL 411

METAL HALIDE LAMP
150W

- 220-240V / 50-60Hz

G12



HL 800

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20

Halogen Downlights



HL 801

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20



HL 802

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20

HL 803

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20

HL 804

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20

HL 805

CLEAR
BLUE
YELLOW
BROWN
PURPLE

- 220-240V / 50-60Hz
- Max. 20W

JC G4 F IP20

HL 799

CHROME
MAT CHROME
GOLDEN
ANTIQUE GREEN
ANTIQUE RED COPPER
TITANIUM BLACK/GOLDEN
PEARL SILVER/GOLDEN

- 220-240V / 50-60Hz
- Max. 50W

MR16 GU5.3/GU10 F IP20

HL 797

CHROME
MAT CHROME
GOLDEN
ANTIQUE GREEN
ANTIQUE RED COPPER
TITANIUM BLACK/GOLDEN
PEARL SILVER/GOLDEN

- 220-240V / 50-60Hz
- Max. 50W

MR16 GU5.3/GU10 F IP20



HL 798

CHROME
MAT CHROME
GOLDEN
ANTIQUE GREEN
ANTIQUE RED COPPER
TITANIUM BLACK/GOLDEN
PEARL SILVER/GOLDEN

- 220-240V / 50-60Hz
- Max. 50W

MR16 GU5.3/GU10 F IP20



HL 759

CHROME
MAT CHROME
GOLDEN
ANTIQUE GREEN
ANTIQUE RED COPPER
TITANIUM BLACK/GOLDEN
PEARL SILVER/GOLDEN

- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20

HL 779

CHROME
MAT CHROME
GOLDEN
ANTIQUE GREEN
ANTIQUE RED COPPER
TITANIUM BLACK/GOLDEN
PEARL SILVER/GOLDEN

- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20



HL 750

CHROME
MAT CHROME
GOLDEN
WHITE



- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20



HL 752

CHROME
MAT CHROME
GOLDEN
RED COPPER
PEARL CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20




HL 753

CHROME
MAT CHROME
GOLDEN
WHITE



- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20



HL 755

CHROME
MAT CHROME
GOLDEN



- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/66.35 | F | IP 20

HL 756

CHROME
MAT CHROME



60

- 220-240V / 50-60Hz
- Max. 50W

MR16 GU5.3/GU5.35 · F · IP 44



HL 760

CHROME
MAT CHROME
GOLDEN



50

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20



HL 761

CHROME
MAT CHROME
GOLDEN



55

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20

HL 762

CHROME
MAT CHROME
GOLDEN



50

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20

HL 763

CHROME
MAT CHROME

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20

HL 764

CHROME
MAT CHROME



45

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20



HL 765

CHROME
MAT CHROME
GOLDEN



20

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20



HL 766

CHROME
MAT CHROME
GOLDEN
WHITE



25

- 220-240V / 50-60Hz
- Max. 20W

JC G4 · F · IP 20



HL 767

CHROME
MAT CHROME
GOLDEN



20

- 220-240V / 50-60Hz
- Max. 20W

JC 64 | F | IP 20



HL 768

CHROME
MAT CHROME
GOLDEN



20

- 220-240V / 50-60Hz
- Max. 20W

JC 64 | F | IP 20

HL 769

CLEAR
BLUE
PINK
GREEN



50

- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/68.35 | F | IP 20

HL 771

GOLDEN
SILVER
TITANIUM BLACK



55

- 220-240V / 50-60Hz
- Max. 50W

MR16 65.3/68.35 | F | IP 20

NEW

HL 666L

CHROME
MAT CHROME



- With Transformer
- 220-240V / 50-60Hz
- 2700K / 6400K
- 1x3W

POWERLED 1 pcs · F · IP 20



HL 815L

MAT CHROME





- With Transformer
- 220-240V / 50-60Hz
- 1W

POWERLED 1 pcs · F · IP 20

HOROZ ELECTRIC LED Downlights

HL 678L - HL 679L

COB LED

MAT CHROME

HL 678L - **3W** 2700K / 6500K
HL 679L - **5W** 2700K / 6500K



- With Transformer
- AC 220-240V / 50-60Hz
- 2700K / 6500K

COB LED · F · IP 20

HL 698L - HL 699L

COB LED



MAT CHROME

HL 698L - **3W** 2700K / 6500K
HL 699L - **5W** 2700K / 6500K





- With Transformer
- AC 220-240V / 50-60Hz
- 2700K / 6500K

COB LED · F · IP 20

HL 667L

RED+GREEN+BLUE+YELLOW

- With Transformer
- 220-240V / 50-60Hz
- 7x1W

POWERLED 7 pcs · F · IP 20

HL 668L

RED+GREEN+BLUE

- With Transformer
- 220-240V / 50-60Hz
- 3x1W

POWERLED 3 pcs · F · IP 20



HL 669L

RED+GREEN+BLUE+YELLOW

- With Transformer
- 220-240V / 50-60Hz
- 7x1W

POWERLED 7 pcs · F · IP 20

WHITE 6400K
WARM WHITE 2700K

HL 670L

MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 1W

POWERLED 1 pcs · F · IP 20

WHITE 6400K
WARM WHITE 2700K

HL 671L

MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 1W

POWERLED 1 pcs · F · IP 20

WHITE 6400K
WARM WHITE 2700K

HL 672L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 3W

POWERLED 3 pcs | F | IP 20

WHITE 6400K
WARM WHITE 2700K

HL 673L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 3W

POWERLED 3 pcs | F | IP 20

WHITE 6400K
WARM WHITE 2700K

HL 674L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 6W

POWERLED 6 pcs | F | IP 20

WHITE 6400K
WARM WHITE 2700K

HL 675L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 6W

POWERLED 6 pcs | F | IP 20

WHITE 6400K
WARM WHITE 2700K

HL 676L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 12W

POWERLED 12 pcs | F | IP 20

WHITE 6400K
WARM WHITE 2700K

HL 677L

CHROME + MAT CAHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 18W

POWERLED 18 pcs | F | IP 20

HL 680L

MAT CHROME

WHITE 6400K
WARM WHITE 2700K



- With Transformer
- AC 220-240V / 50-60Hz
- 4W

POWERLED 4 pcs | F | IP 20

HL 681L

MAT CHROME

WHITE 6400K
WARM WHITE 2700K



- With Transformer
- AC 220-240V / 50-60Hz
- 9W

POWERLED 9 pcs | F | IP 20

HL 682L

MAT CHROME

WHITE 6400K
WARM WHITE 2700K





- With Transformer
- AC 220-240V / 50-60Hz
- 16W

POWERLED 16 pcs | F | IP 20

HL 683L

MAT CHROME

WHITE 6400K
WARM WHITE 2700K





- With Transformer
- AC 220-240V / 50-60Hz
- 25W

POWERLED 25 pcs | F | IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 684L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 6W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 687L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 6W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 685L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 12W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 688L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 12W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 686L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 15W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K

HL 689L

WHITE
MAT CHROME



- With Transformer
- AC 220-240V / 50-60Hz
- 15W

SMD LED F IP 20

SMD LED

WHITE 6000K
WARM WHITE 3000K



HL 690L

WHITE
MAT CHROME





185x100

- With Transformer
- AC 220-240V / 50-60Hz
- 12W

SMD LED F IP 20

COB LED

WHITE 6500K



HL 691L

WHITE



220x130

- With Transformer
- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 30W

COB LED F IP 20

COB LED

COOL WHITE 4200K



HL 695L 3 INCH

WHITE
MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W

COB LED F IP 20

COB LED

WHITE 6500K

HL 692L

WHITE



- With Transformer
- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W

COB LED F IP 20

COB LED

COOL WHITE 4200K



HL 696L 4 INCH

WHITE
MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W

COB LED F IP 20

COB LED

WHITE 6500K

HL 693L

WHITE



- With Transformer
- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W

COB LED F IP 20

COB LED

COOL WHITE 4200K



HL 697L 6 INCH

WHITE
MAT CHROME



- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W

COB LED F IP 20

COB LED

WHITE 6500K



HL 694L

WHITE



- With Transformer
- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W

COB LED F IP 20

HL 600 2,5” E27



CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 40W

E27 F IP 20

HL 601 2,5” PLC



CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 10W

PLC G24d F IP 20

HORОZ ELECTRIC

Downlights

HL 602 3” E27



CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 20

HL 603 3” PLC



CHROME
MAT CHROME
WHITE

- 220-240V / 50-60Hz
- Max. 13W

PLC G24d F IP 20



HL 604 4” E27

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 60W



HL 606 5” E27

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 75W



HL 618 8” E27

CHROME
MAT CHROME
WHITE

- 220-240V / 50-60Hz
- Max. 2x20W



HL 621 8” Rx7S

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 150W



HL 622

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 150W

HL 610 6” PLC



CHROME
MAT CHROME
WHITE



170

- 220-240V / 50-60Hz
- Max. 2x18W

PLC G24d · F · IP 20

HL 611 6” E27



CHROME
MAT CHROME
WHITE



170

- 220-240V / 50-60Hz
- Max. 2x20W ESL

E27 · F · IP 20

HL 612 8” E27



CHROME
MAT CHROME
WHITE



200

- 220-240V / 50-60Hz
- Max. 2x26W ESL

E27 · F · IP 20

HL 613 8” PLC



CHROME
MAT CHROME
WHITE



200

- 220-240V / 50-60Hz
- Max. 2x26W ESL

PLC G24d · F · IP 20

HL 614 6” E27





CHROME
MAT CHROME
WHITE



165

- 220-240V / 50-60Hz
- Max. 2x20W ESL

E27 · F · IP 20

HL 615 6” PLC



CHROME
MAT CHROME
WHITE



165

- 220-240V / 50-60Hz
- Max. 2x18W ESL

PLC G24d · F · IP 20





HL 616 8” E27

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x25W ESL

E27 F IP 20



HL 617 8” PLC

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x26W ESL

PLC G24d F IP 20



HL 625 6” E27

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x20W ESL

E27 F IP 20



HL 626 6” PLC

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x18W ESL

PLC G24d F IP 20



HL 627 8” E27

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x25W ESL

E27 F IP 20



HL 628 8” PLC

CHROME
MAT CHROME
WHITE



- 220-240V / 50-60Hz
- Max. 2x26W ESL

PLC G24d F IP 20

HL 634S

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 11W ESL

E27 F IP20

HL 634M

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

E27 F IP20

HOROZ ELECTRIC

Decorative Ceiling Lamps

HL 634B

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x15W ESL

E27 F IP20

HL 634W

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

E27 F IP20

HL 635S

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 11W ESL

E27 F IP20

HL 635M

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

E27 F IP20

HL 635B

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x15W ESL



HL 635W

CHROME + MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

HL 636S

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

HL 636M

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x15W ESL

HL 636B

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 3x60W
- Max. 3x15W ESL

HL 636W

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

HL 640

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL

G9 F IP20

HL 643

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 40W
- Max. 11W ESL

E27 F IP20

HL 641

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

E27 F IP20

HL 644

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 15W ESL

E27 F IP20

HL 642

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x15W ESL

E27 F IP20

HL 645

MAT CHROME
Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x15W ESL

E27 F IP20

COB LED

HL 637L

WHITE
SILVER

6400K

- With Transformer
- 220-240V / 50-60Hz
- Average Life: 40.000-50.000 Hrs
- 4x8W

COB LED F IP20

HL 790N

CHROME

- 220-240V / 50-60Hz
- 9W ESL

E14 F IP20

HL 791N

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL

E14 F IP20

HOROZ ELECTRIC

Ceiling Lamps

RoHS

HL 792N

CHROME

- 220-240V / 50-60Hz
- Max. 3x9W ESL

E14 F IP20

HL 793N

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL

E14 F IP20

HL 794N

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL

E14 F IP20



785N

MAT CHROME

- 220-240V / 50-60Hz
- 9W ESL

HL 786N

MAT CHROME

- 220-240V / 50-60Hz
- 2x9W ESL

HL 787N

MAT CHROME

- 220-240V / 50-60Hz
- 3x9W ESL

HL 788N

MAT CHROME

- 220-240V / 50-60Hz
- 4x9W ESL

HL 715

CHROME

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL

HL 716

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W
- Max. 2x9W ESL

HL 717

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL

HL 719

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL

HL 718

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W
- Max. 4x9W ESL

HL 711

CHROME

- 220-240V / 50-60Hz
- Max. 40W

G9 F IP 20

HL 712

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

G9 F IP 20

HL 713

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

G9 F IP 20

714

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W

G9 F IP 20

HL 780

MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W

G9 F IP 20

HL 781

MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

G9 F IP 20



HL 782

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

G9 F IP 20



HL 784

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

G9 F IP 20

HL 783

MAT CHROME

- 220-240V / 50-60Hz
- Max. 4x40W

G9 F IP 20

HL 743

MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W

HL 744

MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

HL 745

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

HL 747

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

G9 F IP 20

HL 746

MAT CHROME

- 220-240V / 50-60Hz
- Max. 4x40W

G9 F IP 20

HL 748

MAT CHROME

- 220-240V / 50-60Hz
- Max. 6x40W

G9 F IP 20

HL 700

CHROME+MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W

R50 E14 · F · IP 20

HL 701

CHROME+MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

R50 E14 · F · IP 20

HL 702

CHROME+MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 · F · IP 20

HL 703

CHROME+MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W

R50 E14 · F · IP 20

HL 704

CHROME+MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 · F · IP 20

HL 705

GOLDEN+MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 40W

R50 E14 F IP20

HL 706

GOLDEN+MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 2x40W

R50 E14 F IP20

HL 707

GOLDEN+MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 F IP20

HL 708

GOLDEN+MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 2x40W

R50 E14 F IP20

HL 709

GOLDEN+MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 F IP20

HL 720

CHROME
MAT CHROME
WHITE
BLACK
GOLDEN

- 220-240V / 50-60Hz
- Max. 40W

R50 E14 · F · IP 20

HL 721

CHROME
MAT CHROME
WHITE
BLACK
GOLDEN

- 220-240V / 50-60Hz
- Max. 100W

R80 E27 · F · IP 20

HOROZ ELECTRIC

Spot Lights

HL 722 WITH SWITCH

CHROME
MAT CHROME
WHITE
BLACK
GOLDEN

- 220-240V / 50-60Hz
- Max. 40W

R50 E14 · F · IP 20

HL 723 WITH SWITCH

CHROME
MAT CHROME
WHITE
BLACK
GOLDEN

- 220-240V / 50-60Hz
- Max. 100W

R80 E27 · F · IP 20

R50 E14 · F · IP 20

HL 724

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 2x40W

R80 E27 · F · IP 20

HL 726

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 2x100W

HL 725

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 · F · IP 20



HL 727

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 3x100W

R80 E27 · F · IP 20

HL 728

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 2x40W

R50 E14 · F · IP 20

HL 729

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 2x100W

R80 E27 · F · IP 20

HL 730

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 3x40W

R50 E14 · F · IP 20

HL 731

CHROME
MAT CHROME
WHITE
GOLDEN

- 220-240V / 50-60Hz
- Max. 3x100W

R80 E27 · F · IP 20

HL 003L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

HL 008L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

Picture & Mirror Lamps

HL 651

CHROME
MAT CHROME
GOLDEN

- Built in electronic transformer
- 220-240V / 50-60Hz **12V**
- Max. 2x20W (JC)
- Max. 2x35W (MR11)

JC G4 | MR11 G4 | F | IP 20

HL 652

CHROME
MAT CHROME
GOLDEN
TITANIUM BLACK

- Built in electronic transformer
- 220-240V / 50-60Hz **12V**
- Max. 2x20W

JC G4 | F | IP 20

HL 653

CHROME
MAT CHROME
GOLDEN
MAT GOLDEN
TITANIUM BLACK

- Built in electronic ballast
- 220-240V / 50-60Hz
- 8W

T4 | F | IP 20

HL 654

CHROME
MAT CHROME
GOLDEN
MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 2x40W

G9 | F | IP 20

HL 655

CHROME
MAT CHROME
GOLDEN
MAT GOLDEN

- 220-240V / 50-60Hz
- Max. 2x25W

E14 | F | IP 20

Floor Lamps

HL 004L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

HL 009L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

HL 012L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K



HL 080

WHITE
BLUE
GREEN
ORANGE

- 220-240V / 50-60Hz
- Max. 100W

E27 F IP 20



HL 081

WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14

E27 E14 F IP 20



HL 082

WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14

E27 E14 F IP 20

HL 002L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

HL 001L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

Desk Lamps

HL 006L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

HL 007L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

HL 011L

RED
WHITE
BLACK

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

NEW HL 010L

BLACK
WHITE
BLUE
RED

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

NEW HL 013L

BLACK
WHITE
BLUE
RED
GREEN

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

NEW HL 014L

BLACK
WHITE
BLUE
RED
GREEN

- 220-240V / 50-60Hz
- 3W
- 3000K

POWERLED 1 pcs | F | IP 20

HL 028

BLACK
BLUE
GREEN
RED
SILVER
WHITE

- 220-240V / 50-60Hz
- Max. 20W

E27 F IP20

HL 036

BLUE
PINK
GREEN

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 037

BLUE
PINK
GREEN

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 038

BLUE
PINK
YELLOW

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 039

BLUE
PINK
YELLOW

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 043

BLUE
ORANGE
GREEN

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 044

BLUE
PINK
YELLOW

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP20

HL 050

BLACK
WHITE
RED
BLUE

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP20

HL 052

CLEAR
BLUE
PURPLE
GREEN
ORANGE

- 220-240V / 50-60Hz
- Max. 40W

G9 F IP 20

HL 065

BLACK
BLUE
GREEN
RED
WHITE

- 220-240V / 50-60Hz **12V**
- Max. 20W

JC G4 F IP 20

HL 067

BLACK
WHITE
RED

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 20

HL 068

BLACK
WHITE
RED

- 220-240V / 50-60Hz
- Max. 15W ESL
- Max. 40W

E14 MICRO E14 F IP 20

HL 069

BLACK
WHITE
RED
GREY

- 220-240V / 50-60Hz
- Max. 11W

PL G23 F IP 20

HL 074

BLACK
WHITE
RED

- 220-240V / 50-60Hz
- Max. 20W ESL
- Max. 60W

E27 E27 F IP 20

HL 090

GREEN
BLUE

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 20

HL 2001

6W
8W
13W
21W
28W

220-240V / 50-60Hz

T5 F IP20

HL 2002

8W
13W
21W
28W

220-240V / 50-60Hz

T5 F IP20

Electronic Wall Lamps

HL 2004A

8W
12W
16W
20W

220-240V / 50-60Hz

T4 F IP20

HL 2004B

8W
12W
16W
20W

220-240V / 50-60Hz

T4 F IP20

HL 2004

8W
13W



220-240V / 50-60Hz

T5 F IP20

HL 2005

8W
13W

220-240V / 50-60Hz

T5 F IP20

HL 2006

8W
13W

220-240V / 50-60Hz

T5 F IP20

HL 2008

8W
13W

220-240V / 50-60Hz

T5 F IP20

HL 3011

10W
15W
18W
30W
36W

220-240V / 50-60Hz

T8 F IP20

HL 3016

10W
15W
18W
30W
36W

220-240V / 50-60Hz

T8 F IP20

HL 3013

18W
36W

220-240V / 50-60Hz

T8 F IP20

HL 3013R

18W
36W

220-240V / 50-60Hz

T8 F IP20

HL 3017

2x18W
2x36W

220-240V / 50-60Hz

T8 F IP20

HL 3017R

2x18W
2x36W

220-240V / 50-60Hz

T8 F IP20

HL 3020

10W
15W
18W
30W
36W

- 220-240V / 50-60Hz

T8 F IP20

HL 3021

11W

- 220-240V / 50-60Hz

PL F IP20

HL 160 18W
HL 161 36W

- 220-240V / 50-60Hz

T8 F IP20

HL 162 2x18W
HL 163 2x36W

- 220-240V / 50-60Hz

T8 F IP20

HL 164 18W
HL 165 36W

- 220-240V / 50-60Hz

T8 F IP20

HL 2007

8W
5m CABLE



- 220-240V / 50-60Hz
- 12V DC

T5 F IP20

HL 180 2x20W
HL 184 2x40W

RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter

T8 F IP 20

HL 182 4x20W
HL 186 4x40W

RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter

T8 F IP 20

HOROZ ELECTRIC

Flourescent Louver Fittings
LED Louver Fitting
LED Panel

HL 181 2x20W
HL 185 2x40W

SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter

T8 F IP 20

HL 183 4x20W
HL 187 4x40W

SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter

T8 F IP 20

SMD LED

NEW

HL 179L

WHITE

- 220-240V / 50-60Hz
- 36W
- 4200K / 6400K

SMD LED 180 pcs F IP 20

SMD LED



NEW

HL 975L

SILVER

- 220-240V / 50-60Hz
- 32W
- 3000K / 4200K / 6400K

SMD LED 180 pcs F IP 20

HL 150



- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.37A
- ΔT65°C TW105°
- Max 20W

HL 152



- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- ΔT65°C TW105°
- Max 40W

HOROZ ELECTRIC

Magnetic Wall Lamps

HL 151

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.41A
- ΔT65°C TW105°
- Max 2x20W

HL 153

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- ΔT65°C TW105°
- Max 2x40W

HL 140

- 220-240V / 50-60Hz
- With built-in suitable ballast
- Max. 11W

PL G23 · F · IP 40

HL 141

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Max. 20W

T8 · F · IP 65

Waterproof Lamps

HL 142

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Max. 40W

T8 · F · IP 65

HL 143

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Max. 2x20W

T8 · F · IP 65

HL 144

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Max. 2x40W

T8 · F · IP 65

SHATTERPROOF

HL 500

- 220-240V / 50-60Hz
- PC
- ø:180mm h:900mm
- Max. 40W
- Max. 15W ESL

E27 F IP 20

High Bay Lamps
LED High Bay Lamps

SHATTERPROOF

HL 502

RED
GREEN
BLUE
PINK
CLEAR

- 220-240V / 50-60Hz
- PC
- ø:255mm h:1000mm
- Max. 40W
- Max. 25W ESL

E27 F IP 20

SHATTERPROOF

HL 501

- 220-240V / 50-60Hz
- PC
- ø:180mm h:900mm
- Max. 40W
- Max. 15W ESL

E27 F IP 20

SHATTERPROOF

HL 505

- 220-240V / 50-60Hz
- PC
- ø:310mm h:950mm
- Max. 60W
- Max. 45W ESL

E27 F IP 20

SHATTERPROOF

HL 506

- 220-240V / 50-60Hz
- PC
- ø:315mm h:1000mm
- Max. 60W
- Max. 45W ESL

E27 F IP 20

SHATTERPROOF

HL 510

- 220-240V / 50-60Hz
- PC
- ø:355mm h:1000mm
- Max. 60W
- Max. 65W ESL

E27 F IP 20

SHATTERPROOF

HL 513

- 220-240V / 50-60Hz
- PC
- ø:413mm h:1000mm
- Max. 80W
- Max. 65W ESL

E27 F IP 20

SHATTERPROOF

HL 514

- 220-240V / 50-60Hz
- PC
- ø:413mm h:1100mm
- Max. 250W

E40 HID F IP 20

NEW

HL 515L

COB LED

- 220-240V / 50-60Hz
- Aluminium Body
- ø: 440mm h: 900mm
- 50W
- 6400K

COB LED F IP 20

NEW

HL 516L

COB LED

- 220-240V / 50-60Hz
- Aluminium Body
- ø: 460mm h: 900mm
- 70W
- 6400K

COB LED F IP 20

NEW

HL 517L

COB LED

- 220-240V / 50-60Hz
- Aluminium Body
- ø: 530mm h: 900mm
- 90W
- 6400K

COB LED F IP 20

HL 100

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 150W

78 mm R7S F IP 44

HL 101

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 500W

118 mm R7S F IP 44

Halogen Projectors
Metal Halide Projectors
LED Projectors

HL 102

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 1000W

189 mm R7S F IP 44

HL 103

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 1500W

254 mm R7S F IP 44

HL 104

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 150W

140° 78 mm R7S F IP 44

HL 105

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 500W

140° 118 mm R7S F IP 44

HL 106

- 220-240V / 50-60Hz
- Max. 150W

78 mm R7S F IP 44

HL 107

- 220-240V / 50-60Hz
- Max. 500W

118 mm R7S F IP 44

HL 109

- 220-240V / 50-60Hz
- Max. 500W

118 mm R7S F IP 44

HL 108

- 220-240V / 50-60Hz
- Max. 2x150W

78 mm R7S F IP 44

HL 110

- 220-240V / 50-60Hz
- Max. 2x500W

118 mm R7S F IP 44

HL 115

WHITE
BLACK
SILVER

- 220-240V / 50-60Hz
- Max. 500W

118 mm R7S F IP 20

HL 120

WHITE
BLACK

- Built-in suitable ignitor, ballast
- 220-240V / 50-60Hz
- Max. 150W

HID Rx7S · F · IP 65

HL 120A

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 150W

HID Rx7S · F · IP 65

HL 131

- Built-in suitable ignitor, ballast
- 220-240V / 50-60Hz
- Max. 400W

HID E40 · F · IP 65

HL 131A

- 220-240V / 50-60Hz
- Max. 400W

HID E40 · F · IP 65

HL 135

WHITE
SILVER

- Built-in suitable ignitor, ballast, capacitor
- 220-240V / 50-60Hz
- Max. 150W

HID Rx7S · F · IP 20

SMD LED

HL 171L

BLACK
SILVER

6500K

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 10W

SMD LED

HL 172L

BLACK
SILVER

6500K

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W

SMD LED

HL 173L

BLACK
SILVER

6500K

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W



HL 900

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 901

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HOROZ ELECTRIC

Aluminium Bulkhead Lamps

PCT ARGE EN CE RoHS

HL 902

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 903

WHITE
BLACK
GREY

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 904

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 905

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 906

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

E27 F IP 54

HL 907

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

HL 908

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 40W

HL 909

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

HL 910

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

HL 911

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 60W

HL 920

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 100W

HL 921

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 100W

HL 925

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 100W

HL 926

WHITE
BLACK

- 220-240V / 50-60Hz
- Max. 100W

HL 930

WHITE
BLACK
MAT GREY

- 220-240V / 50-60Hz
- Max. 60W

HL 191

BLACK

- 220-240V / 50-60Hz
- Max. 125W

E27 F IP 65

HL 192

BLACK

- 220-240V / 50-60Hz
- Max. 250W

E40 F IP 65

Street Lamps
LED Street Lamps

HL 190

WHITE

- 220-240V / 50-60Hz
- Max. 60W
- Max. 20W ESL

E27 E27 F IP 65

NEW

HL 193L

COB LED

SILVER

- 220-240V / 50-60Hz
- 6400K
- 1x30W

COB LED F IP 65

NEW

HL 194L

COB LED

SILVER



- 220-240V / 50-60Hz
- 6400K
- 4x15W

COB LED F IP 65



HL 295

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL

E27 E27 F IP 44



HL 296

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL

E27 E27 F IP 44

HOROZ ELECTRIC

Garden Lamps



HL 297

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL

E27 E27 F IP 44



HL 298

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL

E27 E27 F IP 44

HL 200



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 11W ESL

E27 E27 F IP 44

HL 202



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 11W ESL

E27 E27 F IP 44

HL 201



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 11W ESL

E27 E27 F IP 44

HL 203

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 11W ESL

E27 E27 F IP 44



HL 205



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 206



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 207



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W

E27 SENSOR F IP44

HL 208

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44



HL 209

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44



HL 215



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: Glass
- Max 60W
- Max 11W ESL

E27 E27 F IP 44

HL 216



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: Glass
- Max 60W

E27 SENSOR F IP 44

HL 220L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Included Bulb
- Per Granule Max 0.12W

LED 12 pcs F IP 44

HL 221L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Included Bulb
- Per Granule Max 0.12W

LED 12 pcs F IP 44

HL 222L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Included Bulb
- Per Granule Max 0.12W

LED 12 pcs F IP 44

HL 223L

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Included Bulb
- Per Granule Max 0.12W

LED 12 pcs F IP 44

HL 225L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Clear PC
- Included Bulb
- Per Granule Max 0.12W

LED 16 pcs · F · IP 44

HL 226L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Clear PC
- Included Bulb
- Per Granule Max 0.12W

LED 16 pcs · F · IP 44

HL 227L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Clear PC
- Included Bulb
- Per Granule Max 0.12W

LED 16 pcs · F · IP 44

HL 228L



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Clear PC
- Included Bulb
- Per Granule Max 0.12W

LED 16 pcs · F · IP 44

HL 230



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 231



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 SENSOR F IP44

HL 232

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 233

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 234

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 235

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 236

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 SENSOR F IP44

HL 240



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 241



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 SENSOR F IP44

HL 243



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 242



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 244



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 245



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 245P

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W

E27 F IP 44



HL 258P

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W
- Max 3x11W ESL

E27 E27 F IP 33



HL 255

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W
- Max 11W ESL

E27 E27 F IP 33

HL 256



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W

E27 SENSOR F IP 33

HL 257

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W
- Max 11W ESL

E27 E27 F IP 33

HL 258

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W
- Max 11W ESL

E27 E27 F IP 33

HL 260





- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 261



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 SENSOR F IP44

HL 262



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 F IP44

HL 263



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W

E27 SENSOR F IP44

HL 265



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 35W

GU10 F IP44

HL 266



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 2x35W

GU10 F IP44

HL 267



- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 2x11W ESL

E27 F IP44

HL 217



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC & Glass
- Max 60W
- Max 11W ESL

E27 E27 F IP44



HL 237

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL

E27 F IP 44



HL 238

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL

E27 F IP 44



HL 239

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL

E27 F IP 44

HL 246

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W

GU10 F IP 44



HL 247

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W

GU10 F IP 44



HL 248

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W

GU10 F IP 44



HL 249

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W

GU10 F IP 44

HL 218



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x11W ESL

E27 F IP44

HL 219



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x11W ESL

E27 F IP44

HL 270

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 271

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP44

HL 272

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP44



HL 275

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP 44



HL 276

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP 44



HL 277

ANTIQUE RED COPPER
BLACK
WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP 44



HL 270P

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 3x60W

E27 F IP 44





HL 270M

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP 44



HL 273P

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W

E27 F IP 44

HL 280



- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 50W

MR16 65.3 · F · IP 55

HL 281



- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 50W

MR16 65.3 · F · IP 55

HL 282



- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 50W

MR16 65.3 · F · IP 55



HL 285L

- 220-240V / 50-60Hz
- Stainless Steel
- 2W

LED 20 pcs · F · IP 68



HL 286L

- 220-240V / 50-60Hz
- Stainless Steel
- 3.2W

LED 32 pcs · F · IP 68





Solar Lamps

HL 290L



- Ni-MH AA600mAh 1.2V
- 1200-15000 cdm
- 0.24W

LED 2 pcs · III · F · IP 45

HL 291L



- Ni-MH AA600mAh 1.2V
- 1200-15000 cdm
- 0.12W

LED 1 pcs · III · F · IP 45

HL 292L



- Ni-MH AA600mAh 1.2V
- 1200-15000 cdm
- 0.12W

LED 1 pcs · III · F · IP 45

HL 293L

- Ni-MH AA600mAh 1.2V
- 1200-15000 cdm
- 0.12W

LED 1 pcs · III · F · IP 45

HL 294L



- Ni-MH AA600mAh 1.2V
- 1200-15000 cdm
- 0.12W

LED 1 pcs · III · F · IP 45

HL 940L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.2W

LED 12 pcs · F · IP 67



HL 941L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.2W

LED 12 pcs · F · IP 67

HOROZ ELECTRIC

Inground & Recessed Type LED Lamps

HL 945L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.8W

LED 18 pcs · F · IP 67





HL 931L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.5W

LED 15 pcs · F · IP 54



HL 934L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.5W

LED 15 pcs · F · IP 54



HL 932L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.8W

LED 18 pcs · F · IP 54



HL 935L

WHITE
BLUE

- 220-240V / 50-60Hz
- 1.8W

LED 18 pcs · F · IP 54



HL 933L

WHITE
BLUE

- 220-240V / 50-60Hz
- 2.7W

LED 27 pcs · F · IP 54



HL 936L

WHITE
BLUE

- 220-240V / 50-60Hz
- 2.7W

LED 27 pcs · F · IP 54





HL 942L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 946L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 943L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 947L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 944L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 948L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W

LED 16 pcs · F · IP 54



HL 951L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W

LED 9 pcs · F · IP 54



HL 954L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W

LED 12 pcs · F · IP 54



HL 952L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W

LED 9 pcs · F · IP 54



HL 955L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W

LED 12 pcs · F · IP 54



HL 953L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W

LED 9 pcs · F · IP 54



HL 956L

WHITE
BLUE

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W

LED 12 pcs · F · IP 54

LED Strips
LED Drivers
Waterproof LED Drivers
RGB Controllers
Ropelights
Ropelight Controller

COOL WHITE

WHITE 6400K

BLUE



GREEN

RED

YELLOW

RGB



HL 540L

WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- Standart Length: 1 m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

HL 541L

NONWATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 24W (1 Roll/5m)
- Standart Length: 1 m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

III F IP 20

COOL WHITE

WHITE 6400K

BLUE


GREEN

RED

YELLOW

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application

HL 542L

WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1 Roll/5m)
- Power: 72W (1 Roll/5m)
- Standart Length: 1 m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

III F IP 54

RGB

WHITE 6400K

BLUE


GREEN

RED

YELLOW

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application

220-240V

WHITE 6400K



BLUE



GREEN

RED

HL 543L

WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 10W/m
- Standart Length: 1 m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 10 accessory



HL 544

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 10W
- Output Current: 0,8A
- For 2m 35x28 SMD LED Strip
- For 1m 50x50 SMD LED Strip

HL 545

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 36W
- Output Current: 3A
- For 5m 35x28 SMD LED Strip
- For 1.5m 50x50 SMD LED Strip

HL 546

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For 10m 35x28 SMD LED Strip
- For 4m 50x50 SMD LED Strip

HL 547

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 10A
- For 20m 35x28 SMD LED Strip
- For 8m 50x50 SMD LED Strip

HL 548

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12A
- For 30m 35x28 SMD LED Strip
- For 10m 50x50 SMD LED Strip

HL 549

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For 40m 35x28 SMD LED Strip
- For 13m 50x50 SMD LED Strip



HL 553

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 25W
- Output Current: 2A
- For Max. 5m 35x28 SMD Led Strip
- For Max. 1.7m 50x50 SMD Led Strip

HL 555

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For Max. 12m 35x28 SMD Led Strip
- For Max. 4m 50x50 SMD Led Strip

HL 557

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 120W
- Output Current: 10A
- For Max. 25m 35x28 SMD Led Strip
- For Max. 8m 50x50 SMD Led Strip

HL 558

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 180W
- Output Current: 15A
- For Max. 37m 35x28 SMD Led Strip
- For Max. 12m 50x50 SMD Led Strip

HL 559

WATERPROOF

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For Max. 40m 35x28 SMD Led Strip
- For Max. 13m 50x50 SMD Led Strip

RGB Controller 4A

For Max. 30m 35x28 SMD LED Strip

For Max. 10m 50x50 SMD LED Strip

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color



RGB Controller 2A

For Max. 15m 35x28 SMD LED Strip

For Max. 5m 50x50 SMD LED Strip

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color

CLEAR


YELLOW


RED

BLUE

GREEN

COLORFULL

ROPELIGHT

2 LINE
100m ROLL
13 mm
10 accessories

- 220-240V / 50-60Hz

CLEAR


YELLOW


RED

BLUE


GREEN

COLORFULL

LED ROPELIGHT

2 LINE
100m ROLL
13 mm
10 accessories

- 220-240V / 50-60Hz

ROPELIGHT CONTROLLER

3 LINE
10 m

- 220-240V / 50-60Hz
- 8 programs
- Max. Power 200W

HL 334L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 1W
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2,5 Hours

POWERLED 1 pcs | F | IP 20

HL 335L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 1W
- 4V 900mAh Rechargeable Sealed-Acid Battery
- Duration Time: 2,5 Hours

POWERLED 1 pcs | F | IP 20

HOROZ ELECTRIC

Rechargeable & Emergency Lanterns

HL 336L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 3W
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours

POWERLED 1 pcs | F | IP 20

HL 337L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 3W
- 6V 4,5Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours

POWERLED 1 pcs | F | IP 20

HL 338L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 19x1500 MCD 110° Bright Led Torch
- 1,9W
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: 7 Led 24 Hours, 19 Led 10 Hours

LED 19 pcs | F | IP 20

HL 339L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 36x1500 MCD 110° Bright Led Torch
- 3,6W
- 6V 4,5Ah Rechargeable Sealed-Acid Battery
- Duration Time: 16 Led 15 Hours, 36 Led 6 Hours

LED 36 pcs | F | IP 20

HL 331L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 4x1500 MCD 110° Bright Led Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours

LED 4 pcs | F | IP 20

HL 332L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 5x1500 MCD 110° Bright Led Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours

LED 5 pcs | F | IP 20

HL 333L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 9x1500 MCD 110° Bright Led Torch
- 4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5Hours

LED 9 pcs | F | IP 20

HL 340

- 12V
- 35W Bulb

III | F | IP 20

4m CAR CHARGER

HL 318L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
  Bright Led Light
- 4V 0,6Ah Rechargeable
  Sealed-Acid Battery
- Duration Time:
  6 Led: 8 Hours
  3 Led: 16 Hours

POWERLED 9 pcs | F | IP 20

HL 327L

RECHARGEABLE
LED TORCH

- 220-240V / 50-60Hz
- 7x1500 MCD 110°
  Bright Led Torch
- 4V 1.0Ah Rechargeable
  Sealed-Acid Battery
- Duration Time: 8 Hours

LED 7 pcs | F | IP 20

HL 329L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 10x1500 MCD 110°
  Bright Led Light
- 4V 2,0Ah Rechargeable
  Sealed-Acid Battery
- Duration Time: 10 Hours
- 360° Light Distribution
- Light Adjusting

POWERLED 10 pcs | F | IP 20

HL 319L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 18x1500 MCD 110°
  Bright Led Light
  3x1500 MCD 110°
  Bright Led Torch
- 6V 4,0Ah Rechargeable
  Sealed-Acid Battery
- Duration Time:
  For 18 Led 35 Hours
  Fort 3 Led 50 Hours

POWERLED 18+3 pcs | F | IP 20

HL 319LR

RECHARGEABLE
LED LANTERN
WITH RADIO

- 220-240V 50/60 Hz
- 24x1500 MCD 110°
  Bright Led Light
  3x1500 MCD 110°
  Bright Led Torch
- 6V 2.0Ah Rechergeable
  Sealed-Acid Battery
- Duration time
  For 24 Led: 12 hours
  For 3 Led: 24 hours
  For Radio: 8 hours

POWERLED 24+3 pcs | F | IP 20

RADIO

HL 300

RECHARGEABLE
WALL-MOUNTED
LANTERN

- 220-240V / 50-60Hz
- 1 x 20W
- 6V 4,0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 3,5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

T8 F IP 20

HL 303

RECHARGEABLE
WALL-MOUNTED
LANTERN

- 220-240V / 50-60Hz
- 2 x 8W
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Tube 5 Hours
  2 Tubes 2.5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

T5 F IP 20

HL 323L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 35x1500 MCD 110° Bright Led Light
- 6V 2.8Ah Rechargeable Sealed-Acid Battery
- Duration Time: 15 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 35 pcs F IP 20

HL 312L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright Led Light
- 4x4V 1Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  Step 1: 10 Hours
  Step 2: 4 Hours

LED 60 pcs F IP 20

HL 313L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 32x1500 MCD 110° Bright Led Light
- 2x4V 1Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  Step 1: 6 Hours
  Step 2: 3 Hours

LED 32 pcs F IP 20

HL 320L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 36x1500 MCD 110° Bright Led Light
- 4x4V 1,0Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Line 12 Hours
  2 Lines 6 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 36 pcs F IP 20

HL 321L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright Led Light
- 6V 2,8Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Line 22 Hours
  2 Lines 12 Hours
  3 Lines 8 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 60 pcs F IP 20

HL 322L

RECHARGEABLE
LED LANTERN

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright Led Light
- 6V 2,0Ah Rechargeable Sealed-Acid Battery
- Duration Time:
  1 Line 32 Hours
  2 Lines 20 Hours
  3 Lines 13 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 24 pcs | F | IP 20

HL 306

EMERGENCY EXIT &
SAFETY EMERGENCY
LANTERN

- 220-240V / 50-60Hz
- 1 x 6W
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

T5 | F | IP 20

HL 306L

EMERGENCY EXIT &
SAFETY EMERGENCY
LANTERN

- 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright Led Light
- 2x4V 1.0Ah Rechargeable Sealed-Acit Battery
- Duration Time: 6 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 18 pcs | F | IP 20

HL 308

EMERGENCY EXIT &
SAFETY EMERGENCY
LANTERN

- 220-240V / 50-60Hz
- 1 x 8W
- 2x4V 1.0Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

T5 | F | IP 20

HL 308L

EMERGENCY EXIT &
SAFETY EMERGENCY
LANTERN

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright Led Light
- 2x4V 1.0Ah Rechargeable Sealed-Acit Battery
- Duration Time: 5 Hours
- Ceiling & Wall-Mounted
- Emergency & Automatic Light-Up

LED 24 pcs | F | IP 20



HL 304L

RECHARGEABLE
LED DESK LAMP

- 220-240V / 50-60Hz
- 25x1500 MCD 110° Bright Led Light
- 6V 2Ah Rechargeable Sealed-Acit Battery
- Duration time
  For 24 Led: 10 hours
  For 1 Led: 100 hours

LED 24+1 pcs | F | IP 20

HL 304LR

RECHARGEABLE
LED DESK LAMP
WITH RADIO

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright Led Light
- 2x4V 900mAh Rechargeable Sealed-Acit Battery
- Duration time
  For 24 Led: 4 hours
  Radio: 3 hours

LED 24 pcs | F | IP 20

HL 310L

RECHARGEABLE
LED LAMP
E27

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright Led Light
- 4V 1.0Ah Rechargeable Sealed-Acit Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated

LED 10 pcs | F | IP 20

HL 315L

RECHARGEABLE
LED LAMP

- 220-240V / 50-60Hz
- 12x1500 MCD 110° Bright Led Light
- 4V 0,4 Ah Rechargeable Sealed-Acit Battery
- Duration time
  Step 1: 4 hours
  Step 2: 2 hours

LED 12 pcs | F | IP 20

HL 330L

EMERGENCY
EXIT & SAFETY
LED LAMP

- 220-240V / 50-60Hz
- 6x1500 MCD 110° Bright Led Light
- 3.6V 360mAh Rechargeable Ni-Cd Battery

LED 6 pcs | F | IP 20

HL 991L

WHITE
BLUE
GREEN
RED

- 220-240V / 50-60Hz

LED 4 pcs

HL 992L

WHITE
BLUE
GREEN
RED

- 220-240V / 50-60Hz

LED 3 pcs

HOROZ ELECTRIC

Night Lamps

HL 993L

WHITE
BLUE
GREEN
RED

- 220-240V / 50-60Hz

LED 4 pcs



HL 994L

WHITE
BLUE
GREEN
RED

- 220-240V / 50-60Hz

LED 3 pcs

HL 990L

WHITE
BLUE
YELLOW
GREEN
RED

- 220-240V / 50-60Hz

LED 4 pcs

HL 980

WHITE
BLUE
YELLOW
GREEN
RED

- 220-240V / 50-60Hz
- 1W

HL 981

WHITE
(LANDSCAPE)

- 220-240V / 50-60Hz
- 1.5W

HL 982

WHITE
BLUE
YELLOW
GREEN
RED

- 220-240V / 50-60Hz
- 3W

HL 983

WHITE
BLUE
YELLOW
GREEN
RED

- 220-240V / 50-60Hz
- 1W

HL 985

WHITE
BLUE
YELLOW
GREEN
RED

- 220-240V / 50-60Hz
- 1.5W

HL 986

BLUE
YELLOW
ORANGE
GREEN
BLACK

- 220-240V / 50-60Hz
- 1W

HL 490

Smoke Detector
- Alkaline 9 V
- Loud Alarm 85db
- Batery Supplied
- Alarms for 10 Minutes

HOROZ ELECTRIC

Detector
Doorbells
Sensors
Light Control Photosensors

HL 452

Specification
- Power Source:
  Emitter - 12V DC
  (Battery Included)
- Receiving: 3V/DC(2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m
  (open position)
- Sound level: 60 db max
- Sound type:
  38 songs optional

HL 453

Specification
- Power Source:
  Emitter - 12V DC
  (Battery Included)
- Receiving: 3V/DC(2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m(
  open position)
- Sound level: 60 db max
- Sound type:
  38 songs optional

HL 454

Specification
- Operation Voltage:
  4.5V DC (3xAA1.5V) or
  12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110°
- Sound level: 60 db max
- Sound type: Ding Dong,
  Hello, Welcome + Alarm



HL 480

WHITE
BLACK

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec ~ 10±2 min.
- Ambient Light: < 10Lux ~ 2000Lux
- Average Load: Max 1000W

360° F IP20



HL 481

WHITE
BLACK

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 1 m Max. (<24°C)
- Time-delay: 5 sec ~ 10±2 min.
- Ambient Light: < 10Lux ~ 2000Lux
- Average Load: Max 1000W (~220V AC)

140° F IP44



HL 482

WHITE
BLACK

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 ± 2 m Max. (<24°C)
- Time-delay: 5 sec ~ 8±2 min.
- Ambient Light: < 10Lux ~ 2000Lux
- Average Load: Max 1000W (~220V AC)

180° F IP44

HL 483

WHITE
BLACK

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 6 ± 2 m Max. (<24°C)
- Time-delay: Max: 5 sec ~10±2 min. (adjustable)
- Ambient Light: < 10Lux ~ 1000Lux
- Sound Control Sensitivity: 30db ~ 90db (adjustable)
- Average Load: 500W (220V/AC~240V/AC)

140° F IP20

HL 470

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1000W (6A)

F IP44



HL 471

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 1200W (10A)

F IP44

HL 472

Specification
- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: <50Lux
- Load Power: 2700W (25A)

F IP44

HL 380 10W
HL 381 15W
HL 382 18W
HL 383 30W
HL 384 36W

ELECTRONIC
BALLAST

220-240V / 50-60Hz

HL 385 2x18W
HL 386 2x36W

ELECTRONIC
BALLAST

220-240V / 50-60Hz

Ballast & Transformers

HL 387 4x18W
HL 388 4x36W

ELECTRONIC
BALLAST

220-240V / 50-60Hz

HL 350 10W
HL 351 13W
HL 352 18W
HL 353 26W

MAGNETIC
BALLAST

FOR PL OR PLC LAMP

220-240V / 50-60Hz

HL 355 18W
HL 356 36W

MAGNETIC
BALLAST

FOR FLOURESCENT LAMP

220-240V / 50-60Hz

HL 389 125W
HL 390 250W
HL 391 400W

MAGNETIC
BALLAST

FOR MERCURY LAMP

220-240V / 50-60Hz

HL 392 70W
HL 393 150W
HL 394 250W
HL 395 400W

MAGNETIC
BALLAST

FOR METAL HALIDE LAMP

220-240V / 50-60Hz



HL 360 12V, 50W

MAGNETIC
TRANSFORMER

- 220-240V / 50-60Hz

HL 361 12V, 105W

MAGNETIC
TRANSFORMER

- 220-240V / 50-60Hz

HL 370 12V, 60W
HL 371 12V, 105W
HL 372 12V, 150W

ELECTRONIC
TRANSFORMER

- 220-240V / 50-60Hz

HL 373

ELECTRONIC
TRANSFORMER

- Dimmable
- Short Circuit Protection
- Over-Load Protection
- EMC Approved
- Pri: AC220-240V/50-60Hz,0.23A
- Sec: AC11.6v,4.3A
- Rated Load: 50W
- TA: MAX. 45°C TC: MAX. 70°C

HL 374

ELECTRONIC
TRANSFORMER

- Dimmable
- Short Circuit Protection
- Over-Load Protection
- EMC Approved
- Pri: AC220-240V/50-60Hz,0.46A
- Sec: AC11.6v,8.8A
- Rated Load: 100W
- TA: MAX. 45°C TC: MAX. 70°C

HL 375

ELECTRONIC
TRANSFORMER

- Dimmable
- Short Circuit Protection
- Over-Load Protection
- EMC Approved
- Pri: AC220-240V/50-60Hz,0.60A
- Sec: AC11.6v,12A;
- Rated Load: 150W
- TA: MAX. 45°C TC: MAX. 75°C

HL 376

ELECTRONIC
TRANSFORMER

- Dimmable
- Short Circuit Protection
- Over-Load Protection
- EMC Approved
- Pri: AC220-240V/50-60Hz,0.80A
- Sec: AC11.6v,16A;
- Rated Load: 200W
- TA: MAX. 45°C TC: MAX. 75°C

HL 377

ELECTRONIC
TRANSFORMER

- Dimmable
- Short Circuit Protection
- Over-Load Protection
- EMC Approved
- Pri: AC220-240V/50-60Hz,1.0A
- Sec: AC11.6v,21A;
- Rated Load: 250W
- TA: MAX. 45°C TC: MAX. 75°C

HL 396 70W

METAL HALIDE
BALLAST KITS

- 220-240V / 50-60Hz
- Built-in suitable ignitor, ballast, capacitor.

HL 397 150W

METAL HALIDE
BALLAST KITS

- 220-240V / 50-60Hz
- Built-in suitable ignitor, ballast, capacitor.

HL 580

E14

HL 581

E14

HOROZ ELECTRIC

Lamp Holders

HL 582

E27

HL 583

E27

HL 584

E27

HL 585

E27

HL 586

E14

HL 587

E14



HL 550

10cm
15cm
20cm

GU4/6.35



HL 551

15cm

GU10

HL 590

E14

HL 591

E27

HL 592

E27

HL 593

E27

Starter S2

220-240V
SINGLE
4-6-8-15-18-22W

110-130V SINGLE
220-240V SERIES
4-22W

Starter S10

220-240V
SINGLE
4-65W

HOROZ ELECTRIC

Starters, Switch With Rope Socket, Connector, UTP Cat5e Cable Ties, Nail Cable Clips RG6, Adhesive Tapes Terminal Blocks



SWITCH WITH ROPE

HL 950

CONNECTOR

(MODEL: HL 2001)

6,8 PVC	64x0,12 AL. BRAIDING	AL. FOIL BONDED	4,8 FPE	1,02 CCS

RG6

COAXIAL CABLE
100m ROLL





UTP Cat5e

NETWORK CABLE
305m ROLL

NAIL CABLE CLIPS

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48



TERMINAL BLOCKS

3 A,	4 mm2
5 A,	6 mm2
10 A,	10 mm2
30 A,	16 mm2
60 A,	25 mm2

CABLE TIES

2,5*100	4,8*400
2,5*150	7,2*300
2,5*200	7,2*350
3,6*150	7,2*400
3,6*200	7,2*450
3,6*250	7,9*350
3,6*280	7,9*400
3,6*300	7,9*450
3,6*370	7,9*500
4,8*200	9*550
4,8*250	9*650
4,8*300	9*750
4,8*350	9*1020
4,8*370	

ADHESIVE TAPES

10 YARD
20 YARD

WHITE
YELLOW
RED
BLUE
GREEN
BLACK



HOROZ ELECTRIC

Exhaust Fans
Plastic Fans

HL 960

- 220-240V / 50-60Hz
- Air Flow: 450
- Speed: 1200
- Power Input: 35W
- Weight: 1,8kg
- Product Size:
  24.8cm x 24.8cm x 12.5cm

F IP 20



HL 961

- 220-240V / 50-60Hz
- Air Flow: 780
- Speed: 1150
- Power Input: 40W
- Weight: 2,2kg
- Product Size:
  27.5cm x 27.5cm x 12.5cm

F IP 20

HL 962

- 220-240V / 50-60Hz
- Air Flow: 890
- Speed: 1100
- Power Input: 50W
- Weight: 2,4kg
- Product Size:
  33.6cm x 33.6cm x 13cm

F IP 20



NEW

HL 963

- 220-240V / 50-60Hz
- 12W
- Air Flow: 100m³/h
- Speed: 2250
- Hole Diameter: 10cm - 4"

NEW

HL 964

- 220-240V / 50-60Hz
- 15W
- Air Flow: 150m³/h
- Speed: 1900
- Hole Diameter: 12cm - 5"

NEW

HL 965

- 220-240V / 50-60Hz
- 20W
- Air Flow: 200m³/h
- Speed: 1800
- Hole Diameter: 15cm - 6"

The copyright of the visual materials and photographes used in this catalogue belongs to Horoz Electric Inc. Print date: 10/2012