



> Double Parabolic

> Technical Specification


Body	: 0,50 mm DKP Sheet
Reflector	: 99 % Pure 0,40 mm Anodised Aluminium
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.



> Prismatic Diffuser

> Technical Specification

Body	: 0,50 mm DKP Sheet
Reflector	: Prismatic Glasses
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.



> Mash Louver

> Technical Specification

Body	: 0,50 mm DKP Sheet
Reflector	: Louver Cellular
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.



> Double Parapolic

> Technical Specification

Body	: 0,50 mm DKP Sheet
Reflector	: 99 % Pure 0,30 mm Anodised Aluminium
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.



> Prismatic Diffuser

> Technical Specification

Body	: 0,50 mm DKP Sheet
Reflector	: Louver Cellular
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.

> Mash Louver



> Technical Specification

Body	: 0,50 mm DKP Sheet
Reflector	: H 12 Prismatic Lens
Ballast	: TSE EN 60920-21
Socket	: TS EN-60400
Cable	: 1 mm ² NYA
Paint	: Electrostatic Powder Paint
Fields of Application	: Offices, malls, schools, banks, business centers, hotels, showrooms, shopping centers, where applicable.
Note	: Gloves, user manuel, fixation pars are given within the luminaires.



Max.

2x26 W.



E-27

For Only

Energy

Saving Bulb

> 131

Chrome

> 141

Nickel

> 151

Golden

> 161

Night Blue

> 171

Black

1159

Elit Mega Double Bulb Square Armature

1160

Elit Mega Double Bulb Square Armature (Coloured)

Code	1159	1160
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurment (cm)	71x52x36	71x52x36
Shrink Volume (m³)	0,133	0,133
Shrink Weight (kg)	10,44	10,44

< 14



> **1160-101**
Elit Mega
Oak

ø 350 mm



> **1160-111**
Elit Mega
Mahogany

**Max.
2x26 W.**



E-27

**For Only
Energy
Saving Bulb**



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1160 Elit Mega Double Bulb Square Armature (Coloured)

Code	1160
Quantity Per Box	1
Quantity Per Shrink	10
Shrink Measurement (cm)	71x52x36
Shrink Volume (m³)	0,133
Shrink Weight (kg)	10,44



Max.

26 W.



E-27

For Only

Energy

Saving Bulb

> 131

Chrome

> 141

Nickel

> 151

Golden

> 161

Night Blue

> 171

Black

1155 Elit Square Armature

1156 Elit Square Armature (Coloured)

Code	1155	1156
Quantity Per Box	1	1
Quantity Per Shrink	24	24
Shrink Measurment (cm)	62x49x50	62x49x50
Shrink Volume (m³)	0,152	0,152
Shrink Weight (kg)	11,64	11,64

> SQUARE ARMATURE WITH CAGE



> **1157**
Elit With Cage



> **1158-121**
Elit With Cage
Walnut



> **1158-101**
Elit With Cage
Oak



> **1158-111**
Elit With Cage
Mahogany

Max.
26 W.



E-27

For Only
Energy
Saving Bulb



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1157 Elit With Cage Square Armature
1158 Elit With Cage Square Armature (Coloured)

Code	1157	1158
Quantity Per Box	1	1
Quantity Per Shrink	24	24
Shrink Measurment (cm)	62x49x50	62x49x50
Shrink Volume (m³)	0,152	0,152
Shrink Weight (kg)	12,98	12,98

> **1120**
Comfort Soft



ø 300 mm

> **1121**
Comfort



ø 300 mm

> **1128**
Vizyon



ø 350 mm


ø 285 mm

Base = Plastic
Cover = Plastic

Max.
2x25 W.



E-27



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1120	2x25 W. comfort soft sensed armature (white)
1121	2x25 W. comfort sensed armature (white)
1122	2x25 W. comfort soft sensed armature (coloured)
1123	2x25 W. comfort sensed armature (coloured)
1128	2x25 W. vizyon sensed armature (white)
1129	2x25 W. vizyon sensed armature (coloured)

Code	1120-1121	1122-1123	1128-1129
Quantity Per Box	1	1	1
Quantity Per Shrink	10	10	10
Shrink Measurment (cm)	63x55x31	63x55x31	58x52x36
Shrink Volume (m ³)	0,107	0,107	0,109
Shrink Weight (kg)	7,34	8,45	7,70



> 1145
Lila Glass


ø 300 mm



> 1146
Vista Glass

Base = Plastic
Cover = Glass

Max.
2x25 W.



1145 Lila glass sensor armature
1146 Vista glass sensor armature

Code	1145	1146
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurment (cm)	62x62x30	62x62x30
Shrink Volume (m³)	0,115	0,115
Shrink Weight (kg)	16,45	16,45



> 1130


Trend Sensored Glass

Base = Metallic

Cover = Glass

Max.

2x25 W.



1130

Trend glass sensored armature

Code	1130
Quantity Per Box	1
Quantity Per Shrink	10
Shrink Measurement (cm)	60x55x30
Shrink Volume (m³)	0,099
Shrink Weight (kg)	13,10



> **1932**
New Orkide

> **1933**
New Orkide With Cage



> **1934**
New Orkide With Head

**Max.
60 W.**



PC



1932	60 W. New orkide wall lamp (IP 67)
1933	60 W. New orkide with cage wall lamp (IP 67)
1934	60 W. New orkide with head wall lamp (IP 67)

Code	1932	1933	1934
Quantity Per Box	1	1	1
Quantity Per Shrink	32	32	32
Shrink Measurement (cm)	47x50x47	47x50x47	47x50x47
Shrink Volume (m³)	0,110	0,110	0,110
Shrink Weight (kg)	9,26	10,54	10,70

> 1927

Idea Sensored



Max.

60 W.



E-27

- 

> 101

Oak



> 111

Mahogany



> 121

Walnut



> 131

Chrome



> 141

Nickel



> 151

Golden



> 161

Night Blue



> 171

Black

- 1927

Idea sensored wall lamp (white)
- 1928

Idea sensored wall lamp (coloured)

Code	1927	1928
Quantity Per Box	1	1
Quantity Per Shrink	20	20
Shrink Measurment (cm)	62x54x28	62x54x28
Shrink Volume (m³)	0,094	0,094
Shrink Weight (kg)	10,04	10,04




> **1124**
Double Bulb Vizyon



**Max.
2x25 W.**



**For Only
Energy
Saving Bulb**



1124 2x25 W. Vizyon double bulb ceiling armature (white)
1125 2x25 W. Vizyon double bulb ceiling armature (coloured)

Code	1124	1125
Quantity Per Box	2	2
Quantity Per Shrink	24	24
Shrink Measurement (cm)	80x36x62,5	80x36x62,5
Shrink Volume (m ³)	0,180	0,180
Shrink Weight (kg)	13,180	13,90

> **1152**
Trend Vizyon



> **1151**
Trend Riva



ø 400 mm

**Max.
2x25 W.**



E-27

**For Only
Energy
Saving Bulb**

1151 Trend riva double bulb ceiling armature
1152 Trend vizyon double bulb ceiling armature

Code	1151	1152
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	81x53x40	81x53x40
Shrink Volume (m ³)	0,172	0,172
Shrink Weight (kg)	10,24	10,40

> DOUBLE BULB TREND



> **1147**
Trend Papatya



> **1148**
Trend Atlas



ø 400 mm

> **1149**
Trend Damla



> **1150**
Trend Anatolia

**Max.
2x25 W.**



**For Only
Energy
Saving Bulb**

- 1147** Trend Papatya double bulb ceiling armature
- 1148** Trend Atlas double bulb ceiling armature
- 1149** Trend Damla double bulb ceiling armature
- 1150** Trend Anatolia double bulb ceiling armature

Code	1147	1148	1149	1150
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurement (cm)	81x53x40	81x53x40	81x53x40	81x53x40
Shrink Volume (m³)	0,172	0,172	0,172	0,172
Shrink Weight (kg)	10,58	10,90	10,90	10,90



> **1301**
Metalized

ø 300 mm



> **1302**
Transparent



> **1303**
Night Blue



> **1304**
Green



> **1305**
Black



E-27



75 Watt

1301	75 w. Papatya T5 armature metalized
1302	75 w. Papatya T5 armature transparent
1303	75 w. Papatya T5 armature night blue
1304	75 w. Papatya T5 armature green
1305	75 w. Papatya T5 armature black

Code	1301-1302-1303-1304-1305
Quantity Per Box	4
Quantity Per Shrink	32
Shrink Measurement (cm)	59x60x30
Shrink Volume (m ³)	0,106
Shrink Weight (kg)	11,58

> **1306**
Metalized




> **1307**
Transparent



> **1308**
Blue



> **1309**
Pink



E-27

75 Watt

- | | |
|-------------|-------------------------------------|
| 1306 | 75 w. Damla T5 armature metalized |
| 1307 | 75 w. Damla T5 armature transparent |
| 1308 | 75 w. Damla T5 armature blue |
| 1309 | 75 w. Damla T5 armature pink |

Code	1306-1307-1308-1309
Quantity Per Box	4
Quantity Per Shrink	32
Shrink Measurment (cm)	59x60x30
Shrink Volume (m³)	0,106
Shrink Weight (kg)	11,84

> 1115
Trend Riva



> 1111
Trend Soft



> 1112
Trend

**Max.
60 W.**



> 101
Oak



> 111
Mahogany



> 121
Walnut



> 131
Chrome



> 141
Nickel



> 151
Golden



> 161
Night Blue



> 171
Black

1111	60 W. Trend soft ceiling armature (white)
1112	60 W. Trend ceiling armature (white)
1115	60 W. Trend riva ceiling armature (white)
1113	60 W. Trend soft ceiling armature (coloured)
1114	60 W. Trend ceiling armature (coloured)
1116	60 W. Trend riva ceiling armature (coloured)

Code	1111-1112-1115	1113-1114-1116
Quantity Per Box	2	2
Quantity Per Shrink	24	24
Shrink Measurement (cm)	56x83x38	56x83x38
Shrink Volume (m³)	0,177	0,177
Shrink Weight (kg)	10,78	11,20



> **1126**
Mini Trend

ø 230 mm



> **1153**
Eco Trend

ø 190 mm

**Max.
60 W.**



E-27



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1126	60 W. Mini trend ceiling armature (white)
1153	60 W. Eco trend ceiling armature (white)
1127	60 W. Mini trend ceiling armature (coloured)
1154	60 W. Eco trend ceiling armature (coloured)

Code	1126	1127	1153-1154
Quantity Per Box	4	4	8
Quantity Per Shrink	48	48	64
Shrink Measurement (cm)	42x71x46	42x71x46	76x42x39
Shrink Volume (m ³)	0,137	0,137	0,124
Shrink Weight (kg)	14,12	14,12	14,35



> **1102**
Papatya

ø 235 mm



> **1105**
Damla

ø 235 mm

**Max.
60 W.**



E-27



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1102	60 W. Papatya ceiling armature (white)
1105	60 W. Damla ceiling armature (white)
1104	60 W. Papatya ceiling armature (coloured)
1107	60 W. Damla ceiling armature (coloured)

Code	1102-1105	1104-1107
Quantity Per Box	4	4
Quantity Per Shrink	32	32
Shrink Measurement (cm)	48x48x45	48x48x45
Shrink Volume (m³)	0,104	0,104
Shrink Weight (kg)	11,10	11,60

> **1101**
Mini Damla



ø 200 mm

> **1106**
Mini Papatya



ø 200 mm

> **1109**
Mini Riva



ø 200 mm

**Max.
60 W.**



E-27



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1101	60 W. Mini damla ceiling armature (white)
1106	60 W. Mini papatya ceiling armature (white)
1109	60 W. Mini riva ceiling armature (white)
1103	60 W. Mini damla ceiling armature (coloured)
1108	60 W. Mini papatya ceiling armature (coloured)
1110	60 W. Mini riva ceiling armature (coloured)

Code	1101-1106-1109	1103-1108-1110
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	40,5x60x43	40,5x60x43
Shrink Volume (m ³)	0,104	0,104
Shrink Weight (kg)	13,75	13,75

> **1915**
Idea



> **1916**
Idea With Cage



**Max.
60 W.**



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

1915	60 W. Idea ceiling armature (white)
1916	60 W. Idea with cage ceiling armature (white)
1917	60 W. Idea ceiling armature (coloured)
1918	60 W. Idea with cage ceiling armature (coloured)

Code	1915	1916	1917	1918
Quantity Per Box	2	2	2	2
Quantity Per Shrink	24	24	24	24
Shrink Measurement (cm)	53x58,5x35,5	62x55x36	53x58,5x35,5	53x58,5x35,5
Shrink Volume (m³)	0,110	0,123	0,110	0,110
Shrink Weight (kg)	13,38	14,46	14,50	15,60



Max.
60 W.



E-27



> 101
Oak



> 111
Mahogany



> 121
Walnut



> 131
Chrome



> 141
Nickel



> 151
Golden



> 161
Night Blue




> 171
Black


1901	60 W. Papatya wall lamp (white)
1902	60 W. Damla wall lamp (white)
1903	60 W. Papatya wall lamp (coloured)
1904	60 W. Damla wall lamp (coloured)

Code	1901-1902	1903-1904
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurment (cm)	66x52x34	52x64,5x33,5
Shrink Volume (m³)	0,117	0,112
Shrink Weight (kg)	15,18	15,70

> **1921**
Vera Wall Lamp



> **1922**
Vera Wall Lamp
With Head



> **1923**
Ilia
Wall Lamp



**Max.
60 W.**



E-27



> **101**
Oak



> **111**
Mahogany



> **121**
Walnut



> **131**
Chrome



> **141**
Nickel



> **151**
Golden



> **161**
Night Blue



> **171**
Black

	Code	1921	1922	1923	1924	1925	1926
1921 60 W. Vera wall lamp (white)							
1922 60 W. Vera wall lamp with head (white)							
1923 60 W. Ilia wall lamp (white)							
1924 60 W. Vera wall lamp (coloured)							
1925 60 W. Vera wall lamp with head (coloured)							
1926 60 W. Ilia wall lamp (coloured)							
Quantity Per Box		4	4	4	4	4	4
Quantity Per Shrink		48	48	48	48	48	48
Shrink Measurement (cm)		62x41x45	62x41x45	62x41x45	62x41x45	62x41x45	62x41x45
Shrink Volume (m³)		0,114	0,114	0,114	0,114	0,114	0,114
Shrink Weight (kg)		14,12	14,50	14,24	14,12	13,95	14,12




> 1919
Vista




> 1920
Vista (Coloured)

**Max.
60 W.**



1919 60 W. Vista wall lamp (white)
1920 60 W. Vista wall lamp (coloured)

Code	1919	1920
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurement (cm)	35x64x45	52x64x33
Shrink Volume (m ³)	0,101	0,110
Shrink Weight (kg)	14,22	13,40




> **1911**
Riva



> **1912**
Papatya

**Max.
60 W.**



- 1911** 60 W. Riva moon wall lamp (white)
- 1912** 60 W. Papatya moon wall lamp (white)
- 1913** 60 W. Riva moon wall lamp (coloured)
- 1914** 60 W. Papatya moon wall lamp (coloured)

Code	1911-1912	1913-1914
Quantity Per Box	4	4
Quantity Per Shrink	48	48
Shrink Measurment (cm)	53x60x31,5	53x60x31,5
Shrink Volume (m ³)	0,100	0,100
Shrink Weight (kg)	12,00	12,00

> **1908**
Damla



> **1909**
Papatya



> **1910**
Ivy



**Max.
60 W.**



E-27

1908 60 W. Damla wall lamp

1909 60 W. Papatya wall lamp

1910 60 W. Ivy wall lamp

Code	1908	1122-1123	1128-1129
Quantity Per Box	4	4	4
Quantity Per Shrink	48	48	48
Shrink Measurment (cm)	51x62x44	51x62x44	51x62x44
Shrink Volume (m³)	0,140	0,140	0,140
Shrink Weight (kg)	14,34	15,00	15,00



> **1905**
Yelken Ege



> **1906**
Yelken Bahar



> **1907**
Yelken Soft

**Max.
60 W.**



E-27

1905 60 W. Yelken ege wall lamp

1906 60 W. Yelken bahar wall lamp

1907 60 W. Yelken soft wall lamp

Code	1905	1906	1907
Quantity Per Box	2	2	2
Quantity Per Shrink	32	32	32
Shrink Measurement (cm)	50x73x39,5	50x73x39,5	50x73x39,5
Shrink Volume (m ³)	0,144	0,144	0,144
Shrink Weight (kg)	10,20	11,15	11,15



> 1200
Papatya

ø 350 mm




> 1211
Atlas



> 1201
Damla



> 1212
Anatolia



32 Watt

1200	Papatya	Metalized circle armature (mechanic)
1211	Atlas	Metalized circle armature (mechanic)
1201	Damla	Metalized circle armature (mechanic)
1212	Anatolia	Metalized circle armature (mechanic)
1204	Papatya	Metalized circle armature (electronic)
1213	Atlas	Metalized circle armature (electronic)
1205	Damla	Metalized circle armature (electronic)
1214	Anatolia	Metalized circle armature (electronic)

Code	1200-1201-1211-1212	1204-1205-1213-1214
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurment (cm)	72x49x36	72x52,5x36
Shrink Volume (m ³)	0,127	0,136
Shrink Weight (kg)	12,98	8,80



> **1255**
Trend Papatya



ø 400 mm




> **1256**
Trend Atlas



> **1258**
Trend Anatolia



> **1257**
Trend Damla



32 Watt

1255	Trend Papatya	Metalized circle armature (mechanic)
1256	Trend Atlas	Metalized circle armature (mechanic)
1257	Trend Damla	Metalized circle armature (mechanic)
1258	Trend Anatolia	Metalized circle armature (mechanic)
1259	Trend Papatya	Metalized circle armature (electronic)
1260	Trend Atlas	Metalized circle armature (electronic)
1261	Trend Damla	Metalized circle armature (electronic)
1262	Trend Anatolia	Metalized circle armature (electronic)

Code	1255-1256-1257-1258	1259-1260-1261-1262
Quantity Per Box	1	1
Quantity Per Shrink	10	10
Shrink Measurement (cm)	81x53x40	81x53x40
Shrink Volume (m ³)	0,172	0,172
Shrink Weight (kg)	14,18	11,00




ø 400 mm

> 1263
Trend Riva



> 1264
Trend Vizyon



32 Watt

1263	Trend Riva	Metalized circle armature (mechanic)
1264	Trend Vizyon	Metalized circle armature (mechanic)
1265	Trend Riva	Metalized circle armature (electronic)
1266	Trend Vizyon	Metalized circle armature (electronic)

Code	1263	1264	1265	1266
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurment (cm)	81x53x40	81x53x40	81x53x40	81x53x40
Shrink Volume (m³)	0,172	0,172	0,172	0,172
Shrink Weight (kg)	14,48	14,75	10,80	10,75




> **1202**
Two Armed

ø 310 mm



> **1203**
Three Armed



32 Watt

1202	Two	Armed circle armature (mechanic)
1203	Three	Armed circle armature (mechanic)
1206	Two	Armed circle armature (electronic)
1207	Three	Armed circle armature (electronic)

Code	1202	1203	1206	1207
Quantity Per Box	1	1	1	1
Quantity Per Shrink	15	10	15	10
Shrink Measurment (cm)	43x64,5x31,5	50,5x70,5x28,5	43x64,5x31,5	50,5x70,5x28,5
Shrink Volume (m³)	0,087	0,101	0,087	0,101
Shrink Weight (kg)	12,55	9,15	9,00	6,50



> 1215
Metalized

ø 367 mm



> 1216
Transparent




> 1217
Night Blue



> 1218
Green



> 1219
Black



32 Watt

1215	32 W. Era circle armature metalized (mechanic)
1216	32 W. Era circle armature transparent (mechanic)
1217	32 W. Era circle armature night blue (mechanic)
1218	32 W. Era circle armature green (mechanic)
1219	32 W. Era circle armature black (mechanic)
1224	32 W. Era circle armature metalized (electronic)
1225	32 W. Era circle armature transparent (electronic)
1226	32 W. Era circle armature night blue (electronic)
1227	32 W. Era circle armature green (electronic)
1228	32 W. Era circle armature black (electronic)

Code	1215-1216-1217-1218-1219	1224-1225-1226-1227-1228
Quantity Per Box	1	1
Quantity Per Shrink	8	8
Shrink Measurment (cm)	55x73x36	47x75x47
Shrink Volume (m³)	0,145	0,166
Shrink Weight (kg)	10,75	7,55

> **1220**
Metalized




> **1221**
Transparent



> **1222**
Blue



> **1223**
Pink



32 Watt

1220	32 W. Gala circle armature metalized (mechanic)
1221	32 W. Gala circle armature transparent (mechanic)
1222	32 W. Gala circle armature blue (mechanic)
1223	32 W. Gala circle armature pink (mechanic)
1229	32 W. Gala circle armature metalized (electronic)
1230	32 W. Gala circle armature transparent (electronic)
1231	32 W. Gala circle armature blue (electronic)
1232	32 W. Gala circle armature pink (electronic)

Code	1220-1221-1222-1223	1229-1230-1231-1232
Quantity Per Box	1	1
Quantity Per Shrink	8	8
Shrink Measurement (cm)	55x73x36	47x75x47
Shrink Volume (m³)	0,145	0,166
Shrink Weight (kg)	10,75	7,14




> 1234
Transparent



> 1235
Green



> 1236
Pink



40 Watt

1234	40 W. Fulya circle armature transparent (mechanic)
1235	40 W. Fulya circle armature green (mechanic)
1236	40 W. Fulya circle armature pink (mechanic)
1242	40 W. Fulya circle armature transparent (electronic)
1243	40 W. Fulya circle armature green (electronic)
1244	40 W. Fulya circle armature pink (electronic)

Code	1234-1235-1236	1242-1243-1244
Quantity Per Box	1	1
Quantity Per Shrink	5	5
Shrink Measurment (cm)	47x75x47	47x75x47
Shrink Volume (m³)	0,166	0,166
Shrink Weight (kg)	8,35	6,35


> **1238**
Transparent



> **1239**
Green



> **1240**
Pink



1238	72 W. Fulya circle armature transparent (mechanic)
1239	72 W. Fulya circle armature green (mechanic)
1240	72 W. Fulya circle armature pink (mechanic)
1246	72 W. Fulya circle armature transparent (electronic)
1247	72 W. Fulya circle armature green (electronic)
1248	72 W. Fulya circle armature pink (electronic)

Code	1238-1239-1240	1246-1247-1248
Quantity Per Box	1	1
Quantity Per Shrink	5	5
Shrink Measurement (cm)	47x75x47	47x75x47
Shrink Volume (m ³)	0,166	0,166
Shrink Weight (kg)	11,00	7,00



> **1290**
2x36




> **1287**
1x18




> **1289**
1x36



> **1288**
2x18



18 Watt



36 Watt

Code	1287 1x18 W. Mechanic	1288 2x18 W. Mechanic	1289 1x36 W. Mechanic	1290 2x36 W. Mechanic	1291 1x18 W. Electronic	1292 2x18 W. Electronic	1293 1x36 W. Electronic	1294 2x36 W. Electronic
Quantity Per Box	2	2	2	2	2	2	2	2
Shrink Measurment (cm)	68x20x16	68x20x16	130x20x16	130x20x16	68x20x16	68x20x16	130x20x16	130x20x16
Shrink Volume (m ³)	0,022	0,022	0,042	0,042	0,022	0,022	0,042	0,042
Shrink Weight (kg)	5,20	6,20	6,60	7,60	4,40	5,40	5,00	6,00



> **1271**
160 Watt
(IP 54)



160 Watt
E-27



> **1272**
125 Watt
(IP 54)



125 Watt
E-27



> **1273**
250 Watt
(IP 65)



250 Watt
E-40



> **1274**
400 Watt
(IP 65)



400 Watt
E-40

- 1271** 160 W. Armature
- 1272** 125 W. Mercury vapour armature
- 1273** 250 W. Mercury vapour armature
- 1274** 400 W. Mercury vapour armature

Code	1271	1272	1273	1274
Quantity Per Box	1	1	1	1
Quantity Per Shrink	5	5	5	5
Shrink Measurement (cm)	77x55,5x31	77x55,5x31	71,5x36x118	71,5x36x91
Shrink Volume (m³)	0,132	0,132	0,304	0,247
Shrink Weight (kg)	12,50	17,85	27,50	29,50

> **2214**
120x205 mm
Combination Box (Empty)



> **2215**
120x205 mm
Combination Box



- 2214** 120x205 1 Modules Combination Box (Empty)
2215 1 Modules Combination Box
(1 Pcs. 3x25A Trifazed + 2 Pcs. Monofazed Plug)
2216 1 Modules Combination Box
(1 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)
2217 1 Modules Combination Box
(1 Pcs. 5x32A Trifazed + 2 Pcs. Monofazed Plug)

Code	2214	2215	2216	2217
Quantity Per Box	1	1	1	1
Quantity Per Shrink	18	18	18	18
Shrink Measurment (cm)	51x46x46	51x46x46	51x46x46	51x46x46
Shrink Volume (m³)	0,108	0,108	0,108	0,108
Shrink Weight (kg)	9,64	13,10	13,26	13,40

> **2218**
180x270 mm
Combination Box (Empty)



> **2219**
180x270 mm
Combination Box



2218	180x270 2 Modules Combination Box (Empty)
2219	2 Modules Combination Box (2 Pcs. 3x25A Trifazed + 2 Pcs. Monofazed Plug)
2220	2 Modules Combination Box (2 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)
2221	2 Modules Combination Box (2 Pcs. 5x32A Trifazed + 2 Pcs. Monofazed Plug)
2222	2 Modules Combination Box (1 Pcs. 3x25A Trifazed + 1 Pcs. 5x16A Trifazed + 2 Pcs. Monofazed Plug)

Code	2218	2219	2220	2221	2222
Quantity Per Box	1	1	1	1	1
Quantity Per Shrink	12	12	12	12	12
Shrink Measurment (cm)	70x60x32	70x60x32	70x60x32	70x60x32	70x60x32
Shrink Volume (m ³)	0,134	0,134	0,134	0,134	0,134
Shrink Weight (kg)	12,50	15,84	16,40	17,00	16,20



> **2001**
Surface Mount
2 Max. Circuit Breakers



> **2002**
Surface Mount
4 Max. Circuit Breakers

2001 Circuit Box (1-2)
2002 Circuit Box (3-4)

Code	2001	2002
Quantity Per Box	20	10
Quantity Per Shrink	240	120
Shrink Measurment (cm)	53x53x42	45x67x37,5
Shrink Volume (m ³)	0,118	0,107
Shrink Weight (kg)	15,60	12,30



> 2003
Flush Mount
6 Max. Circuit Breakers
> 2013
Flush Mount
6 Max. Circuit Breakers
Without Connector



> 2005
Flush Mount
9 Max. Circuit Breakers
> 2015
Flush Mount
9 Max. Circuit Breakers
Without Connector



> 2007
Flush Mount
12 Max. Circuit Breakers
> 2017
Flush Mount
12 Max. Circuit Breakers
Without Connector



> 2004
Surface Mount
6 Max.Circuit Breakers
> 2014
Surface Mount
6 Max.Circuit Breakers
Without Connector



> 2006
Surface Mount
9 Max.Circuit Breakers
> 2016
Surface Mount
9 Max.Circuit Breakers
Without Connector



> 2008
Surface Mount
12 Max.Circuit Breakers
> 2018
Surface Mount
12 Max.Circuit Breakers
Without Connector

2003	Flush	Mount 6 max. circuit breakers
2004	Surface Mount	6 max. circuit breakers
2005	Flush	Mount 9 max. circuit breakers
2006	Surface Mount	9 max. circuit breakers
2007	Flush	Mount 12 max. circuit breakers
2008	Surface Mount	12 max. circuit breakers

Code	2003-2013	2004-2014	2005-2015	2006-2016	2007-2017	2008-2018
Quantity Per Box	1	1	1	1	1	1
Quantity Per Shrink	36	36	24	24	12	12
Shrink Measurement (cm)	53x41x44	53x41x44	66x36x42	66x33x42	60x31,5x42	60x31,5x42
Shrink Volume (m ³)	0,095	0,095	0,100	0,091	0,080	0,080
Shrink Weight (kg)	13,60	14,34	11,80	11,94	8,50	9,75



> **2009**
Surface Mount
16 Max.Circuit Breakers
> **2019**
Surface Mount
16 Max.Circuit Breakers
Without Connector



> **2011**
Surface Mount
24 Max.Circuit Breakers
> **2021**
Surface Mount
24 Max.Circuit Breakers
Without Connector



> **2010**
Surface Mount
16 Max.Circuit Breakers
> **2020**
Surface Mount
16 Max.Circuit Breakers
Without Connector



> **2012**
Surface Mount
24 Max.Circuit Breakers
> **2022**
Surface Mount
24 Max.Circuit Breakers
Without Connector

2009	Flush	Mount 16 max. circuit breakers
2010	Surface Mount	16 max. circuit breakers
2011	Flush	Mount 24 max. circuit breakers
2012	Surface Mount	24 max. circuit breakers

Code	2009-2019	2010-2020	2011-2021	2012-2022
Quantity Per Box	1	1	1	1
Quantity Per Shrink	12	12	8	8
Shrink Measurment (cm)	67x47x31	67x47x31	66x36x46	66x36x46
Shrink Volume (m³)	0,098	0,098	0,110	0,110
Shrink Weight (kg)	9,80	10,58	12,00	13,50



> **2213**
Ø 90 mm



> **2210**
110x110x70 mm



> **2211**
110x180x70 mm



> **2212**
180x270x100 mm



> **2223**
180x270x100 mm



2210	110x110x70 Thermo plastic conduit box (IP 67)
2211	110x180x70 Thermo plastic conduit box (IP 67)
2212	180x270x100 Thermo plastic conduit box (IP 67)
2213	Ø 90 Thermo plastic conduit box (IP 54)
2223	180x270x100 Thermo plastic conduit box (Transparent cover, IP 67)

Code	2210	2211	2212	2213	2223
Quantity Per Box	10	6	2	24	2
Quantity Per Shrink	100	60	24	240	24
Shrink Measurment (cm)	46x61x37	46x61x37	62x57x40	36x72,5x36	62x57x40
Shrink Volume (m³)	0,104	0,104	0,141	0,094	0,141
Shrink Weight (kg)	20,15	18,00	17,65	18,00	17,65



> **1328**
20x30x12 cm



> **1332**
40x60x22 cm



> **1329**
25x30x17 cm



> **1330**
30x40x17 cm




> **1331**
35x50x17 cm



- 1328** 20x30x12 Polyester electrical board
- 1329** 25x30x17 Polyester electrical board
- 1330** 30x40x17 Polyester electrical board
- 1331** 35x50x17 Polyester electrical board
- 1332** 40x60x22 Polyester electrical board

Code	1328	1329	1330	1331	1332
Quantity Per Box	1	1	1	1	1
Quantity Per Shrink	10	10	8	6	3
Shrink Measurment (cm)	63x43x33	94x53x33	75x61x43	70x57x53	67x61x42
Shrink Volume (m³)	0,089	0,164	0,197	0,211	0,172
Shrink Weight (kg)	22,90	35,85	34,25	37,00	27,70



> 1208

18 Watt

> 1209

32 Watt

> 1210

36 Watt

Input: 220-240 V


- 1208

18 W. Electronic balast
- 1209

32 W. Electronic balast
- 1210

36 W. Electronic balast

Code	1208	1209	1210
Quantity Per Box	1	1	1
Quantity Per Shrink	30	30	30
Shrink Measurment (cm)	16,5x26,5x21	16,5x26,5x21	16,5x26,5x21
Shrink Volume (m³)	0,01	0,01	0,01
Shrink Weight (kg)	3,15	3,15	3,15



- 1249** 10-13 W. Compact mechanic balast
- 1278** 11 W. Compact mechanic balast
- 1250** 18 W. Compact mechanic balast
- 1251** 26 W. Compact mechanic balast
- 1252** 18 W. Mechanic balast
- 1253** 32 W. Mechanic balast
- 1254** 36 W. Mechanic balast
- 1275** 125 W. Mechanic balast (mercury vapour)
- 1276** 250 W. Mechanic balast (mercury vapour)
- 1277** 400 W. Mechanic balast (mercury vapour)

Code	1249-1278-1250	1251-1252-1253-1254	1275-1276-1277
Quantity Per Box	1	1	1
Quantity Per Shrink	60	48	10
Shrink Measurment (cm)	25x22x18	28x22x16	25x22x18
Shrink Volume (m³)	0,010	0,010	0,010
Shrink Weight (kg)	17,35	23,20	22,00

> **2201**
8,5x8,5x3,5 cm



> **2205**
20x20 cm Black




> **2204**
13x13 cm Black




> **2203**
10x10 cm Black



> **2209**
20x20 cm Orange



> **2208**
13x13 cm Orange



> **2207**
10x10 cm Orange

Code	2201	2203	2204	2205	2207	2208	2209
Quantity Per Box	20	60	25	10	60	25	10
Quantity Per Shrink	240	180	150	60	180	150	60
Shrink Measurment (cm)	37x56x40	70x47x33	43,5x72x47	43,5x72x47	70x47x33	43,5x72x47	43,5x72x47
Shrink Volume (m³)	0,083	0,108	0,147	0,147	0,108	0,147	0,147
Shrink Weight (kg)	13,72	14,90	17,94	18,86	14,46	17,88	18,10



> **1802**
Connectable Box (Black)



> **1803**
Connectable Box (Orange)



> **1805**
Surface Division Box (Black)



> **1806**
Surface Division Box (Orange)

Code	1801	1802	1803	1804	1805	1806
Quantity Per Box	100	100	100	100	100	100
Quantity Per Shrink	500	500	500	500	500	500
Shrink Measurment (cm)	75x62x42	75x62x42	75x62x42	75x62x42	75x62x42	75x62x42
Shrink Volume (m³)	0,195	0,195	0,195	0,195	0,195	0,195
Shrink Weight (kg)	16,80	14,50	17,90	15,0	14,90	15,0



> 2401
Flat (ø 90 mm)




> 2402
Convex (ø 90 mm)



> 2403
Convex Screwed
(ø 90 mm)

> 2404
Convex (ø 120 mm)



> 1809
Norm Junction Boxes (14-18 Outlet)

> 1810
Norm Junction Boxes (14-18 Outlet)
Without Cover



> 1807
Norm Junction Boxes (14-18 Outlet)

> 1808
Norm Junction Boxes (14-18 Outlet)
Without Cover

Code	1807-1809	1808-1810	2401	2402	2403	2404
Quantity Per Box	100	100	100	100	100	50
Quantity Per Shrink	300	300	2000	2000	2000	1000
Shrink Measurment (cm)	75x62x42	75x62x42	70x106x27	70x106x27	70x106x27	70x106x27
Shrink Volume (m³)	0,195	0,195	0,200	0,200	0,200	0,200
Shrink Weight (kg)	14,26	9,76	21,60	20,45	22,45	16,60



> **1605**
No:0



> **1606**
No:1



> **1607**
No:2



> **1608**
No:3



> **1609**
No:4



> **1610**
No:5



> **1611**
No:6



> **1612**
No:7



> **1613**
No:8

Code	1605	1606	1607	1608	1609	1610	1611	1612	1613
Quantity Per Box	1000	1000	1000	1000	1000	1000	1000	100	100
Quantity Per Shrink	2000	2000	2000	2000	2000	1000	1000	3000	2000
Shrink Measurment (cm)	25,5x50x25,5	25,5x50x25,5	24,5x48,5x30	30x43x35,5	36x44x40	36x44x40	36x44x40	24,5x48,5x30	24,5x48,5x30
Shrink Volume (m ³)	0,033	0,033	0,036	0,046	0,063	0,063	0,063	0,036	0,036
Shrink Weight (kg)	14,00	13,70	14,00	20,00	26,65	21,40	24,30	11,00	11,50



> 1501
6 mm



> 1502
7 mm



> 1503
8 mm



> 1503-K
8 mm (Cornered)



> 1504
10 mm



> 1505
12 mm



> 1506
14 mm



> 1507
Canal Socket



> 1508
Cornice Socket

Code	1501	1502	1503	1503-K	1504	1505	1506	1507	1508
Quantity Per Box	2000	1500	1000	1000	500	250	150	500	500
Quantity Per Shrink	40 000	30 000	20 000	20 000	10 000	5000	3000	10 000	10 000
Shrink Measurment (cm)	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45
Shrink Volume (m ³)	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081
Shrink Weight (kg)	18,60	20,20	19,40	19,80	19,40	17,20	17,40	15,40	21,00



> 1509
Surface Division Socket



> 1510
Surface Division Socket



> 1511
Isolation Socket (Blue)



> 1512
Isolation Socket (Black)



> 1513
Long Socket
(8x60 mm)



> 1514
Long Socket
(8x80 mm)



> 1515
Long Socket
(8x100 mm)



> 1516
Brick Socket (8 mm)



> 1517
Brick Socket (10 mm)



> 1518
Cable Holder With Socket

Code	1509	1510	1511-S	1512-S	1511	1512	1513	1514	1515	1516	1517	1518
Quantity Per Box	250	500	500	500	500	500	500	500	500	500	500	250
Quantity Per Shrink	5000	20 000	10 000	10 000	10 000	10 000	20 000	15000	10 000	10 000	10 000	5000
Shrink Measurement (cm)	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45	32x56x45
Shrink Volume (m³)	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081	0,081
Shrink Weight (kg)	17,00	18,00	18,00	18,00	18,00	18,00	18,00	18,00	18,00	16,00	18,00	18,00



> 2108
No:4 (Nonflammable)



> 2101
No:1 (Plastic)



> 2107
No:3 (Nonflammable)



> 2102
No:2 (Plastic)



> 2106
No:2 (Nonflammable)



> 2103
No:3 (Plastic)



> 2105
No:1 (Nonflammable)



> 2104
No:4 (Plastic)

Code	2101	2102	2103	2104	2105	2106	2107	2108
Quantity Per Box	50	50	50	50	50	50	50	50
Quantity Per Shrink	100	1000	500	500	100	1000	500	500
Shrink Measurement (cm)	36x45x26,5	35x42x39	31x55x24	32x64x21	36x45x26,5	35x42x39	31x55x24	32x64x21
Shrink Volume (m ³)	0,043	0,057	0,041	0,043	0,043	0,057	0,041	0,043
Shrink Weight (kg)	28,80	32,85	25,35	27,10	32,30	35,60	26,00	29,85

DOUBLE



> 1717
32 mm



> 1716
27 mm



> 1715
25 mm



> 1714
22 mm



> 1713
20 mm



> 1712
18 mm



> 1711
16 mm

SINGLE



> 1709
40 mm



> 1708
32 mm



> 1707
27 mm



> 1706
25 mm



> 1705
22 mm



> 1704
20 mm



> 1703
18 mm



> 1702
16 mm



> 1701
12 mm

Code	1701	1702	1703	1704	1705	1706	1707	1708	1709	1711	1712	1713	1714	1715	1716	1717
Quantity Per Box	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Quantity Per Shrink	5000	5000	4000	3000	3000	2500	2500	2000	2000	5500	4000	2500	2000	2000	1500	1000
Shrink Measurement (cm)	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67	44x25x67
Shrink Volume (m³)	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074	0,074
Shrink Weight (kg)	10,20	12,20	12,20	11,00	12,20	12,20	15,20	14,20	16,80	24,50	22,30	16,70	14,60	16,60	16,00	13,50



> 1401
TMS Type Single Socket



> 1404
Fluorescent Holder



> 1413
Italian Holder



> 1402
TMS Type Double Socket



> 1405
32 W. Cube Socket



> 1403
Starter Socket



> 1409
Lamp Rozans




> 1406
Socket With Starter Hole



> 1407
Lamp Holder Set
(Porcelain Socket)



> 1408
Lamp Holder



> 1412
Lamp Holder Set
(Porcelain Socket)

Code	1401	1402	1403	1404	1405	1406	1407	1408	1409	1411	1412
Quantity Per Box	50	25	50	250	500	500	25	1000	1000	25	25
Quantity Per Shrink	500	250	500	5000	500	500	500	1000	1000	2000	500
Shrink Measurement (cm)	36x28x57,5	36x28x57,5	17x7x15	65x20x15	25x15x20	20x8x16	58x50x32	110x70x36	80x59x36	46x23x43	58x50x32
Shrink Volume (m ³)	0,058	0,058	0,002	0,020	0,007	0,002	0,093	0,277	0,169	0,045	0,093
Shrink Weight (kg)	30,60	18,90	2,35	9,30	8,45	2,80	25,96	19,20	10,20	9,00	22,54

> **1018**
Yellow



> **1019**
Red



> **1020**
Blue



> **1021**
Green

Code	1018-1019-1020-1021 (ROTATING 220 V.)	1022-1023-1024-1025 (ROTATING 12 V. AC)	1026-1027-1028-1029 (ROTATING 24 V. AC)	1030-1031-1032-1033 (FLASHING 220 V.)
Quantity Per Box	1	1	1	1
Quantity Per Shrink	10	10	10	10
Shrink Measurment (cm)	29x72,5x19,5	29x72,5x19,5	29x72,5x19,5	29x72,5x19,5
Shrink Volume (m³)	0,041	0,041	0,041	0,041
Shrink Weight (kg)	6,00	6,00	6,00	4,20